

# Safety Data Sheet



## Perigen® Defence Residual Insecticide

Version 1 / AUS  
102000014424

1/10  
Revision Date: 30.06.2016  
Print Date: 30.06.2016

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** Perigen® Defence Residual Insecticide  
**Product code (UVP)** 06069142

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer CropScience Pty Ltd.  
ABN 87 000 226 022  
Level 1, 8 Redfern Road  
3123 Hawthorn East  
Victoria  
Australia

**Telephone** (03) 9248 6888

**Telefax** (03) 9248 6800

**Responsible Department** 1800 804 479 Technical Information Service

**Website** [www.environmentalscience.bayer.com.au](http://www.environmentalscience.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Australia. GHS Hazardous Chemical Information List

Aspiration hazard: Category 1  
H304 May be fatal if swallowed and enters airways.

Acute toxicity: Category 4  
H302 Harmful if swallowed.

Acute toxicity: Category 4  
H332 Harmful if inhaled.

Skin sensitisation: Category 1  
H317 May cause an allergic skin reaction.

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

# Safety Data Sheet



## Perigen® Defence Residual Insecticide

Version 1 / AUS  
102000014424

2/10  
Revision Date: 30.06.2016  
Print Date: 30.06.2016

Permethrin  
Solvent Naphtha (petroleum), heavy aromatic

**Signal word:** Danger

### Hazard statements

H304 May be fatal if swallowed and enters airways.  
H302 Harmful if swallowed.  
H332 Harmful if inhaled.  
H317 May cause an allergic skin reaction.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

### Precautionary statements

P261 Avoid breathing mist and spray.  
P271 Use only outdoors or in a well-ventilated area.  
P264 Wash hands thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312 Call a POISON CENTER/doctor/physician if you feel unwell.  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P330 Rinse mouth.  
P331 Do NOT induce vomiting.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No other hazards known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Chemical nature

Permethrin 25:75 500 g/l  
Chemical nature Emulsifiable concentrate (EC)

Chemical Name	CAS-No.	Concentration [%]
Permethrin	52645-53-1	53.00
Solvent Naphtha (petroleum), heavy aromatic	64742-94-5	35.51
Other ingredients (non-hazardous) to 100%		

## SECTION 4. FIRST AID MEASURES



## Perigen® Defence Residual Insecticide

Version 1 / AUS  
102000014424

3/10  
Revision Date: 30.06.2016  
Print Date: 30.06.2016

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

### 4.1 Description of first aid measures

<b>Inhalation</b>	Move the victim to fresh air and keep at rest. When symptoms persist or in all cases of doubt seek medical advice. Oxygen or artificial respiration if needed.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. Clean contaminated clothing and shoes before re-use or discard if they cannot be thoroughly cleaned. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation or redness persists, see an ophthalmologist.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Keep patient warm and at rest. If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Prolonged and repeated contact with skin, eyes or mucous membranes may cause irritation., Burning sensation, Breathing difficulties, Airway hyperreaction, Pulmonary oedema, Tachycardia, Hypotension, Palpitation, Nausea, Vomiting, Diarrhoea, Abdominal pain, Salivation, Dizziness, Blurred vision, Headache, anorexia, Somnolence, Coma, Seizures, Convulsions, Tremors, Ataxia, Muscular fasciculation
-----------------	--

### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Treatment</b>	In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Treat symptomatically. Monitor: respiratory and cardiac functions. ECG - monitoring (Electrocardiogram). There is no specific antidote. Contraindication: atropine. In case of skin irritation, application of oils or lotions containing vitamin E may be considered.
------------------	---

## SECTION 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

<b>Suitable</b>	Foam, Dry powder, Water spray
<b>Unsuitable</b>	High volume water jet



## Perigen® Defence Residual Insecticide

Version 1 / AUS  
102000014424

4/10  
Revision Date: 30.06.2016  
Print Date: 30.06.2016

<b>5.2 Special hazards arising from the substance or mixture</b>	In the event of fire the following may be released: Hydrogen chloride (HCl), Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )
<b>5.3 Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	Wear self-contained breathing apparatus and protective suit.
<b>Further information</b>	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Do not allow run-off from fire fighting to enter drains or water courses.
<b>Hazchem Code</b>	•3Z

### SECTION 6. ACCIDENTAL RELEASE MEASURES

<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	
<b>Precautions</b>	Use personal protective equipment. Avoid contact with spilled product or contaminated surfaces. Keep unauthorized people away.
<b>6.2 Environmental precautions</b>	Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.
<b>6.3 Methods and materials for containment and cleaning up</b>	
<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

### SECTION 7. HANDLING AND STORAGE

<b>7.1 Precautions for safe handling</b>	
<b>Advice on safe handling</b>	Avoid contact with skin, eyes and clothing. Use only in area provided with appropriate exhaust ventilation.
<b>Advice on protection against fire and explosion</b>	Keep away from heat and sources of ignition. Do not use this product in or on electrical equipment due to the possibility of shock hazard. Take measures to prevent the build up of electrostatic charge.
<b>Hygiene measures</b>	Avoid contact with skin, eyes and clothing.
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	
<b>Requirements for storage areas and containers</b>	Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight.



**Perigen® Defence Residual Insecticide**

Version 1 / AUS  
102000014424

5/10  
Revision Date: 30.06.2016  
Print Date: 30.06.2016

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Permethrin	52645-53-1	5 mg/m3 (TWA)	12 2011	AU NOEL
Permethrin	52645-53-1	10 mg/m3 (SK-SEN)		OES BCS*

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**8.2 Exposure controls**

**Personal protective equipment - End user**

- General advice** Eye wash facility and safety shower should be available.
- Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure.
- Hand protection** Elbow-length PVC or nitrile gloves
- Eye protection** Face-shield or goggles
- Skin and body protection** Cotton overall buttoned to the neck and wrist

**Engineering Controls**

**Advice on safe handling** Avoid contact with skin, eyes and clothing. Use only in area provided with appropriate exhaust ventilation.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

- Form** Liquid, clear
- Colour** yellow to brown
- Odour** aromatic
- Density** ca. 1.06 g/cm<sup>3</sup> at 20 °C



## Perigen® Defence Residual Insecticide

Version 1 / AUS  
102000014424

6/10  
Revision Date: 30.06.2016  
Print Date: 30.06.2016

### SECTION 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

Not applicable

**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** Strong oxidizing agents

**10.6 Hazardous decomposition products** Thermal decomposition can lead to release of:  
Hydrogen chloride (HCl)  
Carbon oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

**Acute oral toxicity** LD50 (Rat) 1,479 mg/kg  
The value mentioned relates to the active ingredient permethrin.

**Acute dermal toxicity** LD50 (Rabbit) > 2,000 mg/kg  
The value mentioned relates to the active ingredient permethrin.

**Skin irritation** Mild skin irritation. (Rabbit)  
The value mentioned relates to the active ingredient permethrin.

**Eye irritation** Mild eye irritation. (Rabbit)  
The value mentioned relates to the active ingredient permethrin.

#### Assessment mutagenicity

Permethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Permethrin caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver, Lungs. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

#### Assessment toxicity to reproduction

Permethrin did not cause reproductive toxicity in a two-generation study in rats.

#### Assessment developmental toxicity

Permethrin did not cause developmental toxicity in rats and rabbits.

#### Assessment repeated dose toxicity

Permethrin did not cause specific target organ toxicity in experimental animal studies.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

Avoid breathing spray mist., Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Mild skin irritant., Avoid contact with skin.

May cause eye irritation.



## Perigen® Defence Residual Insecticide

Version 1 / AUS  
102000014424

7/10  
Revision Date: 30.06.2016  
Print Date: 30.06.2016

Harmful if swallowed.

### Early onset symptoms related to exposure

Refer to Section 4

### Delayed health effects from exposure

Refer to Section 11

### Exposure levels and health effects

Refer to Section 4

### Interactive effects

Not known

### When specific chemical data is not available

Not applicable

### Mixture of chemicals

Refer to Section 2.1

### Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

#### Toxicity to fish

LC50 (Poecilia reticulata (guppy)) 0.0076 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient permethrin.

#### Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.00017 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient permethrin.

#### Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.497 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient permethrin.

### 12.2 Persistence and degradability

#### Biodegradability

Permethrin:  
Not rapidly biodegradable

#### Koc

Permethrin: Koc: 100000

### 12.3 Bioaccumulative potential

#### Bioaccumulation

Permethrin: Bioconcentration factor (BCF) 300  
Does not bioaccumulate.

### 12.4 Mobility in soil

#### Mobility in soil

Permethrin: Immobile in soil

### 12.5 Other adverse effects



## Perigen® Defence Residual Insecticide

Version 1 / AUS  
102000014424

8/10  
Revision Date: 30.06.2016  
Print Date: 30.06.2016

**Additional ecological information** No further ecological information is available.

### SECTION 13. DISPOSAL CONSIDERATIONS

Metal drums and plastic containers:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

### SECTION 14. TRANSPORT INFORMATION

#### ADG

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERMETHRIN SOLUTION)
Hazchem Code	•3Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

#### IMDG

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERMETHRIN SOLUTION)

#### IATA

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERMETHRIN SOLUTION )





## Perigen® Defence Residual Insecticide

Version 1 / AUS  
102000014424

9/10  
Revision Date: 30.06.2016  
Print Date: 30.06.2016

### SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994  
Australian Pesticides and Veterinary Medicines Authority approval number: 57184

#### SUSMP classification (Poison Schedule)

Schedule 6 (Standard for the Uniform Scheduling of Medicines and Poisons)

### SECTION 16. OTHER INFORMATION

**Trademark information** Perigen® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development

# Safety Data Sheet



## Perigen® Defence Residual Insecticide

Version 1 / AUS  
102000014424

10/10  
Revision Date: 30.06.2016  
Print Date: 30.06.2016

OES BCS	OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS