

COTTON BREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 03/09/2018

Version: 7.0

Initial[®]

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : COTTON BREEZE
Product code : 568007
Type of product : Fragrances,Aerosol
Registration No : -
Vaporizer : Aerosol
Product group : Product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only
Use of the substance/mixture : An aerosol fragrance for use in Airfresh units by Initial service staff.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Rentokil Initial Supplies
Liverpool
L33 7SR
UK

Product advice line: +44 (0)151 548 5050

Email: sds@rentokil.com

1.4. Emergency telephone number

Emergency number : +44 (0)1342 833022

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|---|-----------------------------------|------------------|---------|
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH Birmingham | 0344 892 0111 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

COTTON BREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------------------------|---|
| Precautionary statements (CLP) | : H229 - Pressurised container: May burst if heated. H412 - Harmful to aquatic life with long lasting effects. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 - Do not pierce or burn, even after use. P273 - Avoid release to the environment. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122 °F. P501 - Dispose of contents and container to an approved waste disposal plant. |
| EUH-statements | : EUH208 - Contains Methylundecanal, Lauraldehyde, Allyl cyclohexylpropionate, Timber propanol, Undecylenal, Tetrahydrolinalool, Linalyl acetate, Terpinolene, Hexyl salicylate, Dihydro Pentamethylindanone, Nopyl acetate, Eucalyptol, P-Methanone. May produce an allergic reaction. |
| Extra phrases | : Contact with the liquid the may cause cold burns/frostbite Do not spray on a naked flame or any incandescent material |

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|------------|---|
| Butane substance with national workplace exposure limit(s) (GB) | (CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0 | 25 - 50 | Flam. Gas 1, H220 Press. Gas |
| Ethanol substance with national workplace exposure limit(s) (GB) | (CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 | 10 - 15 | Flam. Liq. 2, H225 |
| Benzyl acetate | (CAS-No.) 140-11-4 (EC-No.) 205-399-7 (REACH-no) 01-2119638272-42 | 3 - 10 | Aquatic Chronic 3, H412 |
| 1-(3-Methoxypropoxy)propan-1-ol substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB) | (CAS-No.) 34590-94-8 (EC-No.) 252-104-2 | 1 - 4 | Not classified |
| 2,6-Dimethyloct-7-en-2-ol | (CAS-No.) 18479-58-8 (EC-No.) 242-362-4 | 1 - 4 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 |
| Hexanoic acid, 2-propen-1-yl ester | (CAS-No.) 123-68-2 (EC-No.) 204-642-4 | 1 - 2 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |
| Tert-Butyl alcohol | (CAS-No.) 75-65-0 (EC-No.) 200-889-7 (EC Index-No.) 603-005-00-1 | < 2 | Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 STOT SE 3, H335 |
| Terpinolene | (CAS-No.) 586-62-9 (EC-No.) 209-578-0 | 0.5 - 0.99 | Flam. Liq. 3, H226 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Methylundecanal | (CAS-No.) 110-41-8 (EC-No.) 203-765-0 | 0.1 - 0.5 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Lauraldehyde | (CAS-No.) 112-54-9 (EC-No.) 203-983-6 | 0.1 - 0.5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| 1,1'-Oxydibenzene | (CAS-No.) 101-84-8 (EC-No.) 202-981-2 | 0.1 - 0.5 | Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |
| Hexyl salicylate | (CAS-No.) 6259-76-3 (EC-No.) 228-408-6 | 0.1 - 0.5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

COTTON BREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | | | |
|--|--|---------|--|
| Allyl cyclohexylpropionate | (CAS-No.) 2705-87-5 (EC-No.) 220-292-5 | < 0.5 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Pentyl salicylate | (CAS-No.) 2050-08-0 (EC-No.) 218-080-2 (REACH-no) 01-2119969444-27 | < 0.5 | Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| 1-(trimethylcyclohexyl)-3-hexanol | (CAS-No.) 70788-30-6 (EC-No.) 274-892-7 | < 0.5 | Skin Sens. 1B, H317 |
| Lauronitrile | (CAS-No.) 2437-25-4 (EC-No.) 219-440-1 | < 0.5 | Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Undecylenal | (CAS-No.) 112-45-8 (EC-No.) 203-973-1 | < 0.5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |
| 3,7-Dimethyloctan-3-ol | (CAS-No.) 78-69-3 (EC-No.) 201-133-9 | < 0.5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| 1,5-Dimethyl-1-vinylhex-4-en-1-yl acetate | (CAS-No.) 115-95-7 (EC-No.) 204-116-4 | < 0.5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 |
| Dihydro Pentamethylindanone | (CAS-No.) 33704-61-9 (EC-No.) 251-649-3 | < 0.5 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| 1H-Indole | (CAS-No.) 120-72-9 (EC-No.) 204-420-7 | < 0.5 | Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 |
| Nopyl acetate | (CAS-No.) 128-51-8 (EC-No.) 204-891-9 | < 0.5 | Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| Eucalyptol | (CAS-No.) 470-82-6 (EC-No.) 207-431-5 | < 0.5 | Flam. Liq. 3, H226 Skin Sens. 1B, H317 |
| P-Methanone | (CAS-No.) 10458-14-7 (EC-No.) 233-944-9 | < 0.5 | Skin Irrit. 2, H315 Skin Sens. 1, H317 |
| Alpha-pinenes substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB) | (CAS-No.) 80-56-8 (EC-No.) 201-291-9 | < 0.1 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| beta-Pinene substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB) | (CAS-No.) 127-91-3 (EC-No.) 204-872-5 | < 0.01 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Diethyl phthalate substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB) | (CAS-No.) 84-66-2 (EC-No.) 201-550-6 | < 0.001 | Not classified |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Cough. Assure fresh air breathing. Allow the victim to rest.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
- First-aid measures after eye contact : Direct contact with the eyes is likely to be irritating. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Ingestion is not considered a potential route of exposure. Rinse mouth out with water.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after inhalation : Shortness of breath. In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation.
- Symptoms/effects after skin contact : Contact with the liquid may cause cold burns/frostbite.
- Symptoms/effects after eye contact : Direct contact with the eyes is likely to be irritating. Contact with the liquid may cause frostbite and serious damage to eyes.

COTTON BREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

Hazardous decomposition products in case of fire : May release hazardous fumes.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Protect eyes, face and skin from liquid splashes. Wear suitable protective clothing.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Ventilate the area thoroughly. Keep area evacuated and free from ignition sources until any spilled liquid has evaporated. (Ground free from frost). This material and its container must be disposed of in a safe way, and as per local legislation. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Precautions for safe handling : Do not spray on an open flame or other ignition source.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Store in a well-ventilated place. Keep cool. Protect from heat and direct sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Direct sunlight. Heat sources. Sources of ignition.

7.3. Specific end use(s)

Environmental fragrance.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| 1,1'-Oxydibenzene (101-84-8) | | |
|------------------------------|--------------------------------|---------------------|
| EU | Local name | Diphenyl ether |
| EU | IOELV TWA (mg/m ³) | 7 mg/m ³ |
| EU | IOELV TWA (ppm) | 1 ppm |

COTTON BREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 1,1'-Oxydibenzene (101-84-8) | | |
|---|---------------------------------|---|
| EU | IOELV STEL (mg/m ³) | 14 mg/m ³ |
| EU | IOELV STEL (ppm) | 2 ppm |
| United Kingdom | Local name | Diphenyl ether |
| United Kingdom | WEL TWA (mg/m ³) | 7 mg/m ³ vapour |
| United Kingdom | WEL TWA (ppm) | 1 ppm vapour |
| United Kingdom | WEL STEL (mg/m ³) | 14 mg/m ³ vapour |
| 1-(3-Methoxypropoxy)propan-1-ol (34590-94-8) | | |
| EU | Local name | (2-Methoxymethylethoxy)-propanol |
| EU | IOELV TWA (mg/m ³) | 308 mg/m ³ |
| EU | IOELV TWA (ppm) | 50 ppm |
| EU | Notes | Skin |
| United Kingdom | Local name | (2-methoxymethylethoxy) propanol |
| United Kingdom | WEL TWA (mg/m ³) | 308 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 50 ppm |
| United Kingdom | Remark (WEL) | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity) |
| Alpha-pinenes (80-56-8) | | |
| EU | IOELV TWA (mg/m ³) | 140 |
| EU | IOELV TWA (ppm) | 25 ppm |
| EU | IOELV STEL (mg/m ³) | 300 mg/m ³ |
| EU | IOELV STEL (ppm) | 50 ppm |
| United Kingdom | WEL TWA (mg/m ³) | 140 |
| United Kingdom | WEL TWA (ppm) | 25 |
| United Kingdom | WEL STEL (mg/m ³) | 300 |
| United Kingdom | WEL STEL (ppm) | 50 ppm |
| Diethyl phthalate (84-66-2) | | |
| EU | IOELV TWA (mg/m ³) | 5 mg/m ³ |
| EU | IOELV STEL (mg/m ³) | 10 mg/m ³ |
| United Kingdom | Local name | Diethyl phthalate |
| United Kingdom | WEL TWA (mg/m ³) | 5 mg/m ³ |
| United Kingdom | WEL STEL (mg/m ³) | 10 mg/m ³ |
| beta-Pinene (127-91-3) | | |
| EU | IOELV TWA (mg/m ³) | 140 mg/m ³ |
| EU | IOELV TWA (ppm) | 25 ppm |
| EU | IOELV STEL (mg/m ³) | 300 mg/m ³ |
| EU | IOELV STEL (ppm) | 50 ppm |
| United Kingdom | WEL TWA (mg/m ³) | 140 |
| United Kingdom | WEL TWA (ppm) | 25 |
| United Kingdom | WEL STEL (mg/m ³) | 300 |
| United Kingdom | WEL STEL (ppm) | 50 ppm |
| Ethanol (64-17-5) | | |
| United Kingdom | Local name | Ethanol |
| United Kingdom | WEL TWA (mg/m ³) | 1920 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 1000 ppm |
| Tert-Butyl alcohol (75-65-0) | | |
| United Kingdom | Local name | 2-Methylpropan-2-ol |
| United Kingdom | WEL TWA (mg/m ³) | 308 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 100 ppm |
| United Kingdom | WEL STEL (mg/m ³) | 462 mg/m ³ |
| United Kingdom | WEL STEL (ppm) | 150 ppm |
| Butane (106-97-8) | | |
| United Kingdom | Local name | Butane |
| United Kingdom | WEL TWA (mg/m ³) | 1450 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 600 ppm |
| United Kingdom | WEL STEL (mg/m ³) | 1810 mg/m ³ |
| United Kingdom | WEL STEL (ppm) | 750 ppm |

COTTON BREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Butane (106-97-8) | | |
|-------------------|--------------|--|
| United Kingdom | Remark (WEL) | Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51), (only applies if Butane contains more than 0.1% of buta-1,3-diene) |

8.2. Exposure controls

Appropriate engineering controls:

Not required for normal conditions of use. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Avoid contact with skin. Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training

Eye protection:

Wear eye protection. Avoid contact with eyes

Skin and body protection:

Avoid contact with skin. Wear suitable protective clothing

Respiratory protection:

Not necessary under the recommended storage and handling conditions

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|--------------------------------|
| Physical state | : Liquid |
| Colour | : Colourless. |
| Odour | : Fresh. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : -11 °C |
| Flash point | : < -60 °C |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Extremely flammable aerosol. |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

Additional information : Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level

SECTION 10: Stability and reactivity

10.1. Reactivity

To our knowledge, the product does not present any particular risk, under normal conditions of use.

COTTON BREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Extremely flammable aerosol. Can form explosive mixture with air. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition. May react violently with oxidants.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation

| 3,7-Dimethyloctan-3-ol (78-69-3) | |
|----------------------------------|------------------|
| LD50 oral rat | > 5000 mg/kg |
| LD50 oral | 4500 mg/kg mouse |

| | |
|-----------------------------------|--|
| Skin corrosion/irritation | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Serious eye damage/irritation | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Respiratory or skin sensitisation | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Germ cell mutagenicity | : Not classified Based on available data, the classification criteria are not met |
| Carcinogenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Reproductive toxicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-single exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-repeated exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Aspiration hazard | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |

| COTTON BREEZE | |
|---------------|---------|
| Vaporizer | Aerosol |

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

| 3,7-Dimethyloctan-3-ol (78-69-3) | |
|----------------------------------|---|
| LC50 fish 1 | >= 8.9 mg/l 96hr - Zebra Fish (Danio rerio) (OECD 203) |
| EC50 Daphnia 1 | 14.2 mg/l 48hr - Daphnia magna (Water flea) (OECD 202) |
| EC50 other aquatic organisms 1 | 13.2 mg/l 72hr - Desmodesmus subspicatus (green algae) (OECD 201) |
| NOEC (acute) | 5 mg/l 96hr - Zebra Fish (Danio rerio) (OECD 203) |
| NOEC chronic algae | 8.5 mg/l 72hr - Desmodesmus subspicatus (green algae) (OECD 201) |

12.2. Persistence and degradability

| COTTON BREEZE | |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |

COTTON BREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.3. Bioaccumulative potential

COTTON BREEZE

| | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Container under pressure. Do not drill or burn even after use. Dispose of contents/container to an approved waste disposal plant.

Additional information : Flammable vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 15 01 04 - metallic packaging
15 01 10* - packaging containing residues of or contaminated by dangerous substances
16 05 04* - gases in pressure containers (including halons) containing dangerous substances

HP Code : H3-A - 'Highly flammable' :
— liquid substances and preparations having a flash point below 21 °C (including extremely flammable liquids), or
— substances and preparations which may become hot and finally catch fire in contact with air at ambient temperature without any application of energy, or
— solid substances and preparations which may readily catch fire after brief contact with a source of ignition and which continue to burn or to be consumed after removal of the source of ignition, or
— gaseous substances and preparations which are flammable in air at normal pressure, or
— substances and preparations which, in contact with water or damp air, evolve highly flammable gases in dangerous quantities.
H14 - 'Ecotoxic': waste which presents or may present immediate or delayed risks for one or more sectors of the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number

UN-No. (ADR) : 1950

UN-No. (IMDG) : 1950

UN-No. (IATA) : 1950

UN-No. (ADN) : 1950

UN-No. (RID) : 1950

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS

Proper Shipping Name (IMDG) : AEROSOLS

Proper Shipping Name (IATA) : Aerosols, flammable

Proper Shipping Name (ADN) : AEROSOLS

Proper Shipping Name (RID) : AEROSOLS

Transport document description (ADR) : UN 1950 AEROSOLS (n-Butane, Isobutane), 2.1, (D)

Transport document description (IMDG) : UN 1950 AEROSOLS (n-Butane, Isobutane), 2.1

Transport document description (IATA) : UN 1950 Aerosols, flammable (n-Butane, Isobutane), 2.1

Transport document description (ADN) : UN 1950 AEROSOLS (n-Butane, Isobutane), 2.1

Transport document description (RID) : UN 1950 AEROSOLS (n-Butane, Isobutane), 2.1

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 2.1

Danger labels (ADR) : 2.1,

COTTON BREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



IMDG

Transport hazard class(es) (IMDG) : 2.1

Danger labels (IMDG) : 2.1,



IATA

Transport hazard class(es) (IATA) : 2.1

Hazard labels (IATA) : 2.1,



ADN

Transport hazard class(es) (ADN) : 2.1

Danger labels (ADN) : 2.1,



RID

Transport hazard class(es) (RID) : 2.1

Danger labels (RID) : 2.1,



14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : 5F

COTTON BREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---|----------------------|
| Special provisions (ADR) | : 190, 327, 344, 625 |
| Limited quantities (ADR) | : 1I |
| Excepted quantities (ADR) | : E0 |
| Packing instructions (ADR) | : P207, LP02 |
| Special packing provisions (ADR) | : PP87, RR6, L2 |
| Mixed packing provisions (ADR) | : MP9 |
| Transport category (ADR) | : 2 |
| Special provisions for carriage - Packages (ADR) | : V14 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV9, CV12 |
| Special provisions for carriage - Operation (ADR) | : S2 |
| Tunnel restriction code (ADR) | : D |

- Transport by sea

| | |
|-----------------------------------|-------------------------------|
| Special provisions (IMDG) | : 63, 190, 277, 327, 344, 959 |
| Limited quantities (IMDG) | : SP277 |
| Excepted quantities (IMDG) | : E0 |
| Packing instructions (IMDG) | : P207, LP02 |
| Special packing provisions (IMDG) | : PP87, L2 |
| EmS-No. (Fire) | : F-D |
| EmS-No. (Spillage) | : S-U |
| Stowage category (IMDG) | : None |
| Stowage and handling (IMDG) | : SW1, SW22 |
| Segregation (IMDG) | : SG69 |

- Air transport

| | |
|--|--------------------|
| PCA Excepted quantities (IATA) | : E0 |
| PCA Limited quantities (IATA) | : Y203 |
| PCA limited quantity max net quantity (IATA) | : 30kgG |
| PCA packing instructions (IATA) | : 203 |
| PCA max net quantity (IATA) | : 75kg |
| CAO packing instructions (IATA) | : 203 |
| CAO max net quantity (IATA) | : 150kg |
| Special provisions (IATA) | : A145, A167, A802 |
| ERG code (IATA) | : 10L |

- Inland waterway transport

| | |
|-----------------------------------|----------------------|
| Classification code (ADN) | : 5F |
| Special provisions (ADN) | : 190, 327, 344, 625 |
| Limited quantities (ADN) | : 1L |
| Excepted quantities (ADN) | : E0 |
| Equipment required (ADN) | : PP, EX, A |
| Ventilation (ADN) | : VE01, VE04 |
| Number of blue cones/lights (ADN) | : 1 |

- Rail transport

| | |
|---|----------------------|
| Classification code (RID) | : 5F |
| Special provisions (RID) | : 190, 327, 344, 625 |
| Limited quantities (RID) | : 1L |
| Excepted quantities (RID) | : E0 |
| Packing instructions (RID) | : P207, LP02 |
| Special packing provisions (RID) | : PP87, RR6, L2 |
| Mixed packing provisions (RID) | : MP9 |
| Transport category (RID) | : 2 |
| Special provisions for carriage – Packages (RID) | : W14 |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW9, CW12 |
| Colis express (express parcels) (RID) | : CE2 |

COTTON BREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard identification number (RID) : 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

| | |
|---------------------------|--|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aerosol 1 | Aerosol, Category 1 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Gas 1 | Flammable gases, Category 1 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Press. Gas | Gases under pressure |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H220 | Extremely flammable gas. |
| H222 | Extremely flammable aerosol. |
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H229 | Pressurised container: May burst if heated. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |

COTTON BREEZE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------|--|
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH208 | Contains Methylundecanal, Lauraldehyde, Allyl cyclohexylpropionate, Timber propanol, Undecylenal, Tetrahydrolinalool, Linalyl acetate, Terpinolene, Hexyl salicylate, Dihydro Pentamethylindanone, Nopyl acetate, Eucalyptol, P-Methanone. May produce an allergic reaction. |

RI - SDS EU (REACH Annex II) CLP

Before using any product, ensure that you read and understand its label.

The information contained in this safety data sheet is, to the best of our knowledge and belief, accurate and reliable at the time of publication. The information relates only to the specific material designated in this safety data sheet and may not be valid for such material if it is used in combination with any other material(s) or any other use than that specified herein. Neither Rentokil Initial plc nor any of its subsidiaries accepts any liability for the use of this product for any other purpose than that described in this safety data sheet. This does not affect your statutory rights. It is the user's responsibility to satisfy him/herself as to the suitability in completeness of such information for his/her own particular use.

Copyright © (2018) Rentokil Initial plc, Rentokil Initial Power Centre, Unit A1 & A2 Link 10, Napier Way, Crawley, RH10 9RA. United Kingdom.

Telephone: +44 (0) 1342 833022 Fax: +44 (0) 1403 214101