

DEMAND 10 CS

Version 4 - This version replaces all previous versions.

Revision Date 09.12.2013

Print Date 09.12.2013

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier****Product name** : DEMAND 10 CS**Design code** : A12690P**1.2 Relevant identified uses of the substance or mixture and uses advised against****Use** : Insecticide**1.3 Details of the supplier of the safety data sheet****Company** : Syngenta Crop Protection AG
Postfach
CH-4002 Basel
Switzerland**Telephone** : +41 61 323 11 11**Telefax** : +41 61 323 12 12**E-mail address** : sds.ch@syngenta.com**1.4 Emergency telephone number****Emergency telephone number** : +44 1484 538444**SECTION 2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

Classification according to Regulation (EU) 1272/2008

Acute aquatic toxicity Category 1 H400

Chronic aquatic toxicity Category 1 H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

N, Dangerous for the environment**R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.**

DEMAND 10 CS

Version 4 - This version replaces all previous versions.

Revision Date 09.12.2013

Print Date 09.12.2013

2.2 Label elements

Labelling: Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word	:	Warning
Hazard statements	:	H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/ container to an approved waste disposal plant.
Supplemental information	:	EUH401 To avoid risks to human health and the environment, comply with the instructions for use. Contains 1,2-benzisothiazol-3-one. May produce an allergic reaction.

Hazardous components which must be listed on the label:

Labelling: EU Directives 67/548/EEC or 1999/45/EC

Symbol(s)



**Dangerous
for the envi-
ronment**

R-phrases(s)	:	R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrases(s)	:	S 2 Keep out of the reach of children. S13 Keep away from food, drink and animal feedingstuffs. S20/21 When using do not eat, drink or smoke. S35 This material and its container must be disposed of in a safe way. S57 Use appropriate container to avoid environmental contamination.
Additional Labelling	:	To avoid risks to man and the environment, comply with the instructions for use.

DEMAND 10 CS

Version 4 - This version replaces all previous versions.

Revision Date 09.12.2013

Print Date 09.12.2013

2.3 Other hazards

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration
lamb- da-cyhalothrin	91465-08-6 415-130-7	T+, N R21 R25 R26 R50/53	Acute Tox.3; H301 Acute Tox.3; H311 Acute Tox.2; H330 Aquatic Acute1; H400 Aquatic Chronic1; H410	9.7 % W/W
propane-1,2-diol	57-55-6 200-338-0	-	-	5 - 10 % W/W
solvent naphtha (petroleum), light arom.	64742-95-6 265-199-0	N, Xn R10 R37 R51/53 R65 R66 R67	Flam. Liq.3; H226 Asp. Tox.1; H304 STOT SE3; H335 STOT SE3; H336 Aquatic Chronic2; H411	5 - 10 % W/W

Substances for which there are Community workplace exposure limits.

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

- General advice** : Have the product container, label or Material Safety Data Sheet with you when calling the Syngenta emergency number, a poison control center or physician, or going for treatment.
- Inhalation** : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- Skin contact** : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.

DEMAND 10 CS

Version 4 - This version replaces all previous versions.

Revision Date 09.12.2013

Print Date 09.12.2013

- Eye contact** : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- Ingestion** : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms** : Aspiration may cause pulmonary oedema and pneumonitis.
Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours.

4.3 Indication of any immediate medical attention and special treatment needed

- Medical advice** : Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES**5.1 Extinguishing media**

Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray

Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

Wear full protective clothing and self-contained breathing apparatus.

Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

DEMAND 10 CS

Version 4 - This version replaces all previous versions.

Revision Date 09.12.2013

Print Date 09.12.2013

SECTION 6. ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautionsPrevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.**6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

If the product contaminates rivers and lakes or drains inform respective authorities.

6.4 Reference to other sectionsRefer to protective measures listed in sections 7 and 8.
Refer to disposal considerations listed in section 13.

SECTION 7. HANDLING AND STORAGE**7.1 Precautions for safe handling**No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.**7.2 Conditions for safe storage, including any incompatibilities**No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.**7.3 Specific end use(s)**

Registered Crop Protection products: For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

DEMAND 10 CS

Version 4 - This version replaces all previous versions.

Revision Date 09.12.2013

Print Date 09.12.2013

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	Exposure limit(s)	Type of exposure limit	Source
lambda-cyhalothrin	0.04 mg/m ³ (Skin)	8 h TWA	SYNGENTA
propane-1,2-diol	10 mg/m ³ (Particulates) 150 ppm, 470 mg/m ³ (Total (vapour & particulates))	8 h TWA 8 h TWA	UK HSE UK HSE
solvent naphtha (petroleum), light arom.	100 mg/m ³	8 h TWA	SUPPLIER
orthophosphoric acid	1 mg/m ³ 2 mg/m ³ 1 mg/m ³ 2 mg/m ³	8 h TWA 15 min STEL 8 h TWA 15 min STEL	UK HSE UK HSE IOELV IOELV

The following recommendations for exposure controls/personal protection are intended for the manufacture, formulation and packaging of the product.

8.2 Exposure controls

- Engineering measures** : Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.
The extent of these protection measures depends on the actual risks in use.
If airborne mists or vapors are generated, use local exhaust ventilation controls.
Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit.
Where necessary, seek additional occupational hygiene advice.
- Protective measures** : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.
Personal protective equipment should be certified to appropriate standards.
- Respiratory protection** : No personal respiratory protective equipment normally required.
A particulate filter respirator may be necessary until effective technical measures are installed.

DEMAND 10 CS

Version 4 - This version replaces all previous versions.

Revision Date 09.12.2013

Print Date 09.12.2013

- Hand protection** : Chemical resistant gloves should be used.
Gloves should be certified to an appropriate standard.
Gloves should have a minimum breakthrough time that is appropriate to the duration of exposure.
The breakthrough time of gloves varies according to the thickness, material and manufacturer.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Suitable material
Nitrile rubber
- Eye protection** : Eye protection is not usually required.
Follow any site specific eye protection policies.
- Skin and body protection** : Assess the exposure and select chemical resistant clothing based on the potential for contact and the permeation / penetration characteristics of the clothing material.
Wash with soap and water after removing protective clothing.
Decontaminate clothing before re-use, or use disposable equipment (suits, aprons, sleeves, boots, etc.)
Wear as appropriate:
impervious protective suit

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Form	: liquid opaque
Colour	: light beige to brown
Odour	: no data available
Odour Threshold	: no data available
pH	: 4 - 8 at 1 % w/v
Melting point/range	: no data available
Boiling point/boiling range	: no data available
Flash point	: > 99 °C at 101 kPa Pensky-Martens c.c.
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Lower explosion limit	: no data available
Upper explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Density	: 1.04 g/cm ³ at 20 °C
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: 625 °C
Thermal decomposition	: no data available
Viscosity, dynamic	: 41 - 208 mPa.s at 40 °C 55 - 268 mPa.s at 20 °C
Viscosity, kinematic	: no data available
Explosive properties	: Not explosive
Oxidizing properties	: not oxidizing

9.2 Other information

DEMAND 10 CS

Version 4 - This version replaces all previous versions.

Revision Date 09.12.2013

Print Date 09.12.2013

Surface tension : 50.8 mN/m at 20 °C

SECTION 10. STABILITY AND REACTIVITY**10.1 Reactivity**

No information available.

10.2 Chemical stability

No information available.

10.3 Possibility of hazardous reactions

None known.

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

Combustion or thermal decomposition will evolve toxic and irritant vapors.

SECTION 11. TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Acute oral toxicity**

: LD50 male and female rat, > 5,000 mg/kg
The toxicological data has been taken from products of similar composition.

Acute inhalation toxicity

: LC50 male and female rat, > 4.62 mg/l , 4 h
The toxicological data has been taken from products of similar composition.

Acute dermal toxicity

: LD50 male and female rat, > 4,000 mg/kg
The toxicological data has been taken from products of similar composition.

Skin corrosion/irritation

: rabbit: Slightly irritating
May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.
The toxicological data has been taken from products of similar composition.

Serious eye damage/eye irritation

: rabbit: Mildly irritating
The toxicological data has been taken from products of similar composition.

DEMAND 10 CS

Version 4 - This version replaces all previous versions.

Revision Date 09.12.2013

Print Date 09.12.2013

- Respiratory or skin sensitisation** : Maximisation Test guinea pig: Not a skin sensitizer in animal tests. The toxicological data has been taken from products of similar composition.
- Germ cell mutagenicity
lambda-cyhalothrin : Did not show mutagenic effects in animal experiments.
- Carcinogenicity
lambda-cyhalothrin : Did not show carcinogenic effects in animal experiments.
- Reproductive toxicity
lambda-cyhalothrin : Did not show reproductive toxicity effects in animal experiments.
- STOT - repeated exposure
lambda-cyhalothrin : No adverse effect has been observed in chronic toxicity tests.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	: LC50 <i>Danio rerio</i> (zebra fish), 0.93 mg/l , 96 h
Toxicity to aquatic invertebrates	: EC50 <i>Daphnia magna</i> (Water flea), 4 µg/l , 48 h Derived from components.
Toxicity to aquatic plants	: ErC50 <i>Pseudokirchneriella subcapitata</i> (green algae), 53.72 mg/l , 72 h

12.2 Persistence and degradability

Biodegradability

lambda-cyhalothrin : Not biodegradable.

Stability in water

lambda-cyhalothrin : Degradation half life: 7 d
Not persistent in water.

Stability in soil

lambda-cyhalothrin : Degradation half life: 56 d
Not persistent in soil.

12.3 Bioaccumulative potential

lambda-cyhalothrin : Lambda-cyhalothrin bioaccumulates.

12.4 Mobility in soil

lambda-cyhalothrin : Lambda-cyhalothrin is immobile in soil.

12.5 Results of PBT and vPvB assessment

DEMAND 10 CS

Version 4 - This version replaces all previous versions.

Revision Date 09.12.2013

Print Date 09.12.2013

lambda-cyhalothrin : This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).
This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

Other information	: Classification of the product is based on the summation of the concentrations of classified components.
--------------------------	---

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Land transport (ADR/RID)

14.1 UN number: UN 3082
14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LAMBDA-CYHALOTHRIN AND SOLVENT NAPHTHA)
14.3 Transport hazard class(es): 9
14.4 Packing group: III
Labels: 9
14.5 Environmental hazards : Environmentally hazardous

Sea transport(IMDG)

14.1 UN number: UN 3082
14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LAMBDA-CYHALOTHRIN AND SOLVENT NAPHTHA)
14.3 Transport hazard class(es): 9
14.4 Packing group: III
Labels: 9
14.5 Environmental hazards : Marine pollutant

DEMAND 10 CS

Version 4 - This version replaces all previous versions.

Revision Date 09.12.2013

Print Date 09.12.2013

Air transport (IATA-DGR)

14.1 UN number: UN 3082
14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LAMBDA-CYHALOTHRIN AND SOLVENT NAPHTHA)
14.3 Transport hazard class(es): 9
14.4 Packing group: III
 Labels: 9

14.6 Special precautions for user

none

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS-Labeling

Hazard pictograms



Signal word	:	Warning
Hazard statements	:	H333 May be harmful if inhaled. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	P102 Keep out of reach of children. P273 Avoid release to the environment. P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell. P391 Collect spillage. P501 Dispose of contents/ container to an approved waste disposal plant.
Supplemental information	:	Contains 1,2-benzisothiazol-3-one. May produce an allergic reaction.
Remarks	:	Classified using all GHS hazard classes and categories. Where the GHS contains options, the most conservative option has been chosen. Regional or national implementations of GHS may not implement all hazard classes and categories.

DEMAND 10 CS

Version 4 - This version replaces all previous versions.

Revision Date 09.12.2013

Print Date 09.12.2013

Hazardous components which must be listed on the label:

- lambda-cyhalothrin

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16. OTHER INFORMATION**Further information**

Full text of R-phrases referred to under sections 2 and 3:

R10	Flammable.
R21	Harmful in contact with skin.
R25	Toxic if swallowed.
R26	Very toxic by inhalation.
R37	Irritating to respiratory system.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Product names are a trademark or registered trademark of a Syngenta Group Company.