

SAFETY DATA SHEET

ROMAX D RAT AND MOUSE KILLER

Page: 1

Compilation date: 12/03/2014

Revision date: 21/02/2018

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ROMAX D RAT AND MOUSE KILLER

Product code: UK-2014-0808

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: To be used only by professional users holding certification demonstrating compliance with UK rodenticide stewardship regime requirements. Read label before use. Using this product in a manner that is inconsistent with the label may be an offence. Refer to the CRRU UK Code of Best Practice (or equivalent) for guidance. When this product is supplied to a user for control of rodents, it shall only be supplied to a professional user holding certification demonstrating compliance with UK rodenticide stewardship regime requirements.

1.3. Details of the supplier of the safety data sheet

Company name: J.V. Barrett & Co Ltd
Barrettine Environmental Health Ltd
St Ivel Way
Warmley
Bristol
BS30 8TY
United Kingdom

Tel: +44 (0) 1179 672222

Fax: +44 (0) 1179 614122

Email: beh@barrettine.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 1179 672222 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm Fri.)

+44 (0) 1270 502891 (Out of hours emergency number)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Repr. 1B: H360D; STOT RE 2: H373

Most important adverse effects: May damage the unborn child. May cause damage to organs [blood] through prolonged or repeated exposure.

[cont...]

SAFETY DATA SHEET

ROMAX D RAT AND MOUSE KILLER

Page: 2

2.2. Label elements

Label elements:

Hazard statements: H360D: May damage the unborn child.
H373: May cause damage to organs [blood] through prolonged or repeated exposure.

Hazard pictograms: GHS08: Health hazard



Signal words: Danger

Precautionary statements: P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P103: Read label before use.
P201: Obtain special instructions before use.
P260: Do not breathe dust.
P270: Do not eat, drink or smoke when using this product.
P280: Wear protective gloves.
P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P308+313: IF exposed or concerned: Get medical advice/attention.
P405: Store locked up.
P501: Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

Other hazards: Danger of serious damage to health by prolonged exposure. This product contains an anticoagulant compound. If large quantities are ingested, nosebleed and bleeding gums may occur. In severe cases there may be bruising, haematomas of the joints and blood present in faeces and urine.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PROPANE-1,2-DIOL - REACH registered number(s): 01-2119456809-23-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-338-0	57-55-6	Substance with a Community workplace exposure limit.	-	1-10%

[cont...]

SAFETY DATA SHEET

ROMAX D RAT AND MOUSE KILLER

Page: 3

3-(3-BIPHENYL-4-YL-1,2,3,4-TETRAHYDRO-1-NAPHTHYL)-4-HYDROXYCOUMARIN

259-978-4	56073-07-5	-	Acute Tox. 2: H300; STOT RE 1: H372; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	<0.1%
-----------	------------	---	---	-------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Contact a veterinary surgeon in case of ingestion by a pet.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact. Absorption through the skin may be fatal.

Eye contact: There may be severe pain. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. There may be vomiting. Convulsions may occur. There may be loss of consciousness.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be loss of consciousness.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases there may be bruising and blood present in the faeces or urine. Contains anticoagulant which may produce bleeding; this may be delayed for several days after exposure. If there is no active bleeding the INR (prothrombin time) should be measured on presentation and 48-72 hours after exposure. If the INR is greater than 4, administer Vitamin K1 (phytomendione) 5-10 mg by slow intravenous injection (100 µg/kg body weight for a child). Treatment with

[cont...]

SAFETY DATA SHEET

ROMAX D RAT AND MOUSE KILLER

Page: 4

phytomenadione (orally or intravenously) may be required for several weeks. The advice of the National Poisons Information Service (<http://www.npis.org/>) should be sought, particularly if active bleeding occurs.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Carbon dioxide. Dry chemical powder. Fight larger fires with water spray.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Toxic. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Contain the spread of the firefighting media. Do not allow run-off from firefighting to enter drains or water courses.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Evacuate the area immediately. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses inform the Environment Agency.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in the air. Do not eat, drink or smoke during use. Wash hands after use.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from direct

[cont...]

SAFETY DATA SHEET

ROMAX D RAT AND MOUSE KILLER

Page: 5

sunlight. Keep away from food, drink and animal feeding stuffs. Prevent access of children, birds, pets and farm animals. Protect from humidity and water. Protect from frost. Protect from heat.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): Rodenticide bait for rodent control.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPANE-1,2-DIOL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	-	150 ppm	-

DNEL/PNEC Values

Hazardous ingredients:

PROPANE-1,2-DIOL

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (repeated dose)	168 mg/m ³	Workers	Systemic
DNEL	Inhalation (repeated dose)	50 mg/m ³	General Population	Systemic
DNEL	Inhalation (repeated dose)	10 mg/m ³	Workers	Local
DNEL	Inhalation (repeated dose)	10 mg/m ³	General Population	Local
PNEC	Fresh water	260 mg/l	-	-
PNEC	Fresh water sediments	572 mg/kg	-	-
PNEC	Marine water	26 mg/l	-	-
PNEC	Marine sediments	57.2 mg/kg	-	-
PNEC	Microorganisms in sewage treatment	20 g/l	-	-
PNEC	Soil (agricultural)	50 mg/kg	-	-

8.2. Exposure controls

Engineering measures: Ensure there is exhaust ventilation of the area. Wear suitable respiratory protective equipment (disposable filtering facepiece respirator to at least FFP-PF 10 or equivalent) when decanting the product.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Particle filter class P1 (EN143).

Hand protection: Impermeable protective gloves conforming to EN 374.

Eye protection: Safety glasses with side-shields. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

[cont...]

SAFETY DATA SHEET

ROMAX D RAT AND MOUSE KILLER

Page: 6

Environmental: Avoid release to the environment

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Solid

Colour: Blue

Odour: Odourless

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: No data available.

Viscosity: No data available.

Boiling point/range°C: No data available.

Melting point/range°C: No data available.

Flammability limits %: lower: No data available.

upper: No data available.

Flash point°C: No data available.

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available.

Vapour pressure: No data available.

Relative density: No data available.

pH: No data available.

VOC g/l: No data available.

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable at room temperature and if used as recommended.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

[cont...]

SAFETY DATA SHEET

ROMAX D RAT AND MOUSE KILLER

Page: 7

Hazardous ingredients:

PROPANE-1,2-DIOL

DERMAL	RBT	LD50	2000	mg/kg
ORAL	RAT	LD50	22000	mg/kg

3-(3-BIPHENYL-4-YL-1,2,3,4-TETRAHYDRO-1-NAPHTHYL)-4-HYDROXYCOUMARIN

ORL	MUS	LD50	800	µg/kg
ORL	RAT	LD50	680	µg/kg
SKN	RAT	LD50	>50	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Reproductive toxicity	--	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated

Excluded hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	-	No hazard: calculated
Acute toxicity (ac. tox. 3)	-	No hazard: calculated
Acute toxicity (ac. tox. 2)	-	No hazard: calculated
Acute toxicity (ac. tox. 1)	-	No hazard: calculated
Skin corrosion/irritation	-	No hazard: calculated
Serious eye damage/irritation	-	No hazard: calculated
Respiratory/skin sensitisation	-	No hazard: calculated
Germ cell mutagenicity	-	No hazard: calculated
Carcinogenicity	-	No hazard: calculated
STOT-single exposure	-	No hazard: calculated
Aspiration hazard	-	No hazard: calculated

Symptoms / routes of exposure

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact. Absorption through the skin may be fatal.

Eye contact: There may be severe pain. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. There may be vomiting. Convulsions may occur. There may be loss of consciousness.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be loss of consciousness.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Other information: This product contains an anticoagulant compound. If large quantities are ingested, nosebleed and bleeding gums may occur. In severe cases there may be bruising, haematomas of the joints and blood present in faeces and urine.

[cont...]

SAFETY DATA SHEET

ROMAX D RAT AND MOUSE KILLER

Page: 8

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

PROPANE-1,2-DIOL

Daphnia magna	48H EC50	> 4000	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	40613	mg/l
Scenedesmus Subspicatus	96H EC50	19000	mg/l

3-(3-BIPHENYL-4-YL-1,2,3,4-TETRAHYDRO-1-NAPHTHYL)-4-HYDROXYCOUMARIN

RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.1	mg/l
-------------------------------------	----------	-----	------

12.2. Persistence and degradability

Persistence and degradability: Not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to mammals, including domesticated animals and birds if ingested. Exposure of non-target animals should be prevented.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Waste code number: 20 01 19

Disposal of packaging: Disposal of contaminated packaging as unused product unless fully cleaned.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

[cont...]

SAFETY DATA SHEET

ROMAX D RAT AND MOUSE KILLER

Page: 9

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H300: Fatal if swallowed.

H360D: May damage the unborn child.

H372: Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H410: Very toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.