

Page 1 of 11 Revision: 1

Date: 20/04/2016

## SAFETY DATA SHEET SNAP'EM GEL - CURRY

SDS compliant with CLP

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name SNAP'EM GEL - CURRY

Product No. SNAPG-CU

1.2 Relevant identified uses of the substance or mixture and uses advised against

<u>Identified uses</u>

Used for the attraction of rodent pests

REACH No. A registration number is not available for this substance

1.3. Details of the supplier of the safety data sheet

Supplier Russell IPM Ltd

45 First Avenue

Deeside Industrial Park

Deeside Flintshire CH5 2NU

TEL: +44 (0) 1244 281333 FAX: +44 (0) 1244 281878 info@russellipm.com

1.4. Emergency telephone number

+44 (0) 1244 281333 9am - 5pm

GMT

## SECTION 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008) This material does not meet the criteria for classification under Regulation (EC) No 1272/2008.

2.2. Label elements

Contains SNAP'EM gel - CURRY

<u>Labelling</u> None Signal word: None

Hazard statements: H225, Highly flammable liquid and vapour.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

Supplemental Information: EUH208, Contains Eugenol, Cineole. May produce an allergic reaction. EUH210, Safety data sheet

available on request.

Pictograms: None

Precautionary Statements None



Page 2 of 11 Revision: 1

Date: 20/04/2016

## SAFETY DATA SHEET SNAP'EM GEL - CURRY

SDS compliant with CLP

## 2.3. Other hazards

This product does not contain any PBT or vPvB substances. To avoid risk to man and the environment, comply with the instructions for use.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

3.1 Mixtures

Not Applicable

Substances with Community workplace exposure limits, not listed above: Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

**General information** 

Remove victim to fresh air and keep at rest. If symptoms of irritation and/or sensitization occur seek medical advice/attention.

**Inhalation** 

Remove to fresh air and keep at rest. Seek medical advice if symptoms persist.

Skin

Wash with soap and water. If skin irritation occurs, seek medical advice/attention.

Ingestion

Rinse mouth. Do not induce vomiting.

Eye contact

Rinse cautiously with water for several minutes. If irritation occurs, seek medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

None expected

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

Extinguishing media

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

## 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

None

Specific hazards

Dike and collect extinguishing water. Avoid releasing to the environment. Do not discharge into drains, watercourses or onto the ground.

## 5.3. Advice for firefighters

Special Fire Fighting Procedures



Page 3 of 11 Revision: 1

Date: 20/04/2016

## SAFETY DATA SHEET SNAP'EM GEL - CURRY

SDS compliant with CLP

In case of fire and/or explosion, do not breathe fumes

Protective equipment for fire fighters

Wear full protective clothing (EN 469). Self-contained breathing apparatus.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not discharge into drains, watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of waste material in accordance with local or national regulations.

## 6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

### **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

## 7.2. Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## 7.3. Specific end use(s)

Use in accordance with good manufacturing and industrial hygiene practices.



Page 4 of 11 Revision: 1

Date: 20/04/2016

## SAFETY DATA SHEET SNAP'EM GEL - CURRY

SDS compliant with CLP

The identified uses for this product are detailed in Section 1.2.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters

Workplace exposure limits: Not Applicable

### **8.2 Exposure Controls**

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.



Date: 20/04/2016



## SAFETY DATA SHEET SNAP'EM GEL - CURRY

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Appearance Pale Yellow To Bright Yellow gel

Odour Curry

Initial boiling point and boiling range Not available. Melting point (°C) Not available. 0.9740 - 0.9860 Relative density Vapour density (air=1) Not available. Vapour pressure Not available. Evaporation rate Not available. Not available. pH-Value Viscosity Not available.

Solubility Value (G/100G H2O@20°C) Not soluble in water.

Flammability Limit - Lower(%) Flammable at temperatures over 100°C.

Flammability Limit - Upper(%) Flammable at temperatures over 100°C.

Partition Coefficient (N-Octanol/Water)

Explosive properties

Oxidising properties

Not available.

Not available.

9.2. Other information

Not available.

## **SECTION 10: STABILITY AND REACTIVITY**

## 10.1. Reactivity

Presents no significant reactivity hazard, by itself or in contact with water.

## 10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

## 10.3. Possibility of hazardous reactions

Not anticipated.

**Hazardous Polymerisation** 

Will not polymerise

## 10.4. Conditions to avoid

Avoid exposure to high temperatures or direct sunlight. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking.

## 10.5. Incompatible materials

Materials to Avoid

Avoid contact with strong acids, alkalis or oxidising agents.

## 10.6. Hazardous decomposition products

None anticipated

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects



Page 6 of 11 Revision: 1

Date: 20/04/2016

## SAFETY DATA SHEET SNAP'EM GEL - CURRY

SDS compliant with CLP

## Toxicological information

Classification according to CLP regulation (EC) 1272/2008.

This material does not meet the criteria for classification for health hazards under Regulation (EC) No 1272/2008.

### Acute toxicity:

 Acute Toxicity (Oral LD50)
 N/A

 Acute Toxicity (Dermal LD50)
 N/A

 Acute Toxicity (Inhalation LC50)
 N/A

 Skin Corrosion/Irritation:
 N/A

 Serious eye damage/irritation:
 N/A

Respiratory or skin sensitisation:

Skin sensitisation: N/A

Germ cell mutagenicity:
Genotoxicity - In Vitro

Calculation method.

Genotoxicity - In Vivo

Calculation method.

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive Toxicity:

Reproductive Toxicity - Fertility

Calculation method.

Based on available data the classification criteria are not met.

Calculation method.

Reproductive Toxicity - Development

Calculation method.

Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

Calculation method.

Based on available data the classification criteria are not met.

## Aspiration hazard:

Calculation method.

Based on available data the classification criteria are not met.

## **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

Classification according to CLP regulation (EC) 1272/2008.

Not available.

Ecological information on ingredients.

Acute Toxicity - Fish

LC50 96 hours =N/A Lepomis macrochirus (Bluegill)

LC50 96 hours = N/A Onchorhynchus mykiss (Rainbow trout)

Acute Toxicity - Aquatic Invertebrates





## SAFETY DATA SHEET SNAP'EM GEL - CURRY

EC50 48 hours = N/A Daphnia magna

**Acute Toxicity - Aquatic Plants** 

EbC50 96 hours = N/A Enedesmus subspicatus Chronic

Toxicity - Fish Early life Stage

NOEC 90 days = N/A Onchorhynchus mykiss (Rainbow trout)

NOEC 35 days = N/A Cyprinodon variegatus (Sheepshead minnow)

Chronic Toxicity -

Aquatic Invertebrates

NOEC 21 days = N/A *Daphnia* 

magna

Acute Toxicity -

**Terrestrial** 

LD50 = N/A Apis Mellifera (Honeybee) (Oral exposure).

LD50 = N/A Apis Mellifera (Honeybee) (Topical exposure).

## 12.2. Persistence and degradability

Not available

Ecological information on ingredients.

## SNAP'EM GEL - CURRY

**Degradability** 

The product is readily biodegradable.

Phototransformation Not available

**Biodegredation** 

The product is readily biodegradable.

## 12.3. Bioaccumulative potential

Not anticipated to bioaccumulate.

Partition coefficient

Not relevant

Ecological information on ingredients.

## SNAP'EM GEL - CURRY

Bioaccumulation factor

BCF = N/A

Partition coefficient log Kow = N/A

## 12.4. Mobility in soil

Ecological information on ingredients.

SNAP'EM GEL - CURRY

Mobility: Not available

Adsorption/Desorption Coefficient

Koc = N/A

Henry's Law Constant

N/A

## 12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

Ecological information on ingredients.



SAFETY DATA SHEET SNAP'EM GEL - CURRY Page 8 of 11 Revision: 1

Date: 20/04/2016

## SNAP'EM GEL - CURRY

Not Classified as PBT/vPvB by current EU criteria.

### 12.6. Other adverse effects

This material contains \*% Volatile Organic 0.364205 %

Ecological information on ingredients.

**SNAP'EM GEL - CURRY** 

Not available.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

**General information** 

Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

13.1. Waste treatment methods

Waste is suitable for incineration. Contact specialist disposal companies. Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling

### **SECTION 14: TRANSPORT INFORMATION**

## 14.1. UN number

UN No. (ADR/RID/ADN)Not classifiedUN No. (IMDG)Not classifiedUN No. (ICAO)Not classified

14.2. UN proper shipping name

Proper Shipping Name Not classified

## 14.3. Transport hazard class(es)

ADR/RID/ADN Class
ADR Label No.
Not classified

IMDG Class
Not classified

ICAO Class/Division
Not classified

Transport Labels
Not classified

14.4. Packing group

ADR/RID/ADN Packing group Not classified

IMDG Packing group Not classified

ICAO Packing group Not classified

<u>14.5. Environmental hazards</u> Not environmentally hazardous for transport

14.6. Special precautions for user

EMS None additional

Hazard No. (ADR) None.

Tunnel Restriction Code None.

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

None additional

## **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

INGREDIENTS: Sunflower Oil, Flavouring Preparations, Flavouring Substances, Ethanol

LABELLING: Natural Flavouring [In accordance with (EC) 1334/2008 on flavourings and certain food ingredients with flavouring properties for use in and on foods.



Page 9 of 11 Revision: 1

Date: 20/04/2016

## SAFETY DATA SHEET SNAP'EM GEL - CURRY

SDS compliant with CLP

## **Uk Regulatory References**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

#### **EU** Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

## Health and Environmental Listings

Regulation EC 2037/2000 on substances that deplete the ozone layer. Regulation EC 689/2008 concerning the export and import of dangerous chemicals. None of the ingredients are listed.

## Authorisations (Title VII Regulation 1907/2006)

No specific authorisations are noted for this product.

## Restrictions (Title VIII Regulation 1907/2006)

No specific restrictions of use are noted for this product.

### 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

### **SECTION 16: OTHER INFORMATION**

Abbreviations and acronyms used in the safety data sheet

PBT - Persistent, bioaccumulative and toxic. vPvB - Very persistent and very bioaccumulative EN - European standard adopted by the European Committee for Standardisation.

### Information Sources

The International Union of Pure and Applied Chemistry (IUPAC) pesticide properties database -

http://sitem.herts.ac.uk/aeru/iupac/index.htm Conclusion regarding the peer review of the pesticide risk assessment of the active substance completed by the European Food Safety Authority - http://www.efsa.europa.eu/cs/Satellite International Chemical Safety Card. World Health Organisation (WHO)/Food and Agriculture Organisation of the United Nations (FAO) Joint Meeting on Pesticide Residues monographs and evaluations. Available from www.inchem.org. Food and Agriculture Organisation (FAO) Specifications and Evaluations for Agricultural Pesticides - Evaluation Report. C.D.S. Tomlin, 2009. The Pesticide Manual, 15th Edition (BCPC). Supplier safety data sheet (SDS).

Revision Date 20/04/2016

Revision 1



Revision: 1 Date: 20/04/2016



# SAFETY DATA SHEET SNAP'EM GEL - CURRY

AH 1 Aspiration Hazard Category 1 ATO 4 Acute Toxicity - Oral Category 4 ATO 4 Acute Toxicity - Oral Category 4 ATO 4 Acute Toxicity - Oral Category 4 CAR 2 Carcinogenicity Category 2 EDI 2 Eye Damage / Irritation Category 2 EDI 2 Eye Damage / Irritation Category 2 EDI 3 Eye Damage / Irritation Category 2 EDI 4 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EDI 6 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EDI 6 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EDI 6 Repeated exposure may cause skin dyness or cracking. FL 2 Flammable Liquid, Hazard Category 2 FL 3 Flammable Liquid, Hazard Category 3 HZ25 Highly flammable liquid and vapour. HZ26 Flammable Liquid and vapour. HZ26 Flammable Liquid and vapour. HZ27 Hazardous May be fatal if swallowed and enters airways. HZ28 Lacuses skin irritation. HZ39 May cause an allergic skin reaction. HZ317 May cause an allergic skin reaction. HZ318 May cause drowsiness or dizziness. HZ319 Suspected of causing genetic defects (exposure route). HZ351 Suspected of causing genetic felects (exposure route). HZ361 Suspected of causing genetic felects (exposure route). HZ362 Genetic felect	Key to abbreviations:		
AH1 Aspiration Hazard Category 1 ATO 4 Acute Toxicity - Oral Category 4 CAR 2 Carcinogenicity Category 2 EDI 2 Eye Damager / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Flammable Liquid, Hazard Category 2 FL 2 Flammable Liquid, Hazard Category 3 HZ25 Highly flammable liquid and vapour. HZ26 Highly flammable liquid and vapour. HZ26 Highly flammable liquid and vapour. HZ27 Highly flammable liquid and vapour. HZ28 Harmful if swallowed. HZ29 Harmful if swallowed and enters airways. HZ29 Causes skin irritation. HZ29 Causes serious eye irritation. HZ20 Causes serious eye irritation. HZ21 Causes eye irritation. HZ21 Causes eye irritation. HZ21 Causes eye irritation. HZ21 Causes eye irritation. HZ22 Contaminated work clothing should not be allowed out of the workplace. HZ21 Contaminated work clothing should not be allowed out of the workplace. HZ21 Contaminated work clothing should not be allowed out of the workplace.	•		
ATO 4 Acute Toxicity - Oral Category 4 CAR 2 Carcinogenicity Category 2 EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EUH066 Repeated exposure may cause skin dryness or cracking. FL 2 Flammable Liquid, Hazard Category 2 FL 3 Flammable Liquid, Hazard Category 3 HZ25 Highly llammable Liquid and vapour. HZ26 Flammable liquid and vapour. HZ26 Flammable liquid and vapour. HZ27 Harmful if swallowed and enters airways. HZ27 May be fatal if swallowed and enters airways. HZ28 Causes skin irritation. HZ29 Causes serious eye irritation. HZ29 May cause an allergic skin reaction. HZ29 May cause drowsiness or dizziness. HZ29 May cause drowsiness or dizziness. HZ29 Suspected of causing genetic defects (exposure route). HZ29 Suspected of causing cancer (exposure route). HZ29 May cause drowsiness or dizziness. HZ29 Causes skin used ille. HZ20 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 Do not handle urtil all safety precautions have been read and understood. HZ20 Cause expary from heat, sparks, open flames and hot surfaces No smoking. HZ20 Cause expary from heat, sparks, open flames and hot surfaces No smoking. HZ21 Use explosion-proof electrical, ventilating and lighting equipment. HZ21 Use explosion-proof electrical, ventilating and lighting equipment. HZ21 Use explosion-proof electrical, ventilating and lighting equipment. HZ21 Use only non-sparking tools. HZ22 Use only non-sparking tools. HZ23 Avoid breathing vapour or dust. HZ24 Use only outdoors or in a well-ventilated area. HZ27 Contaminated work clothing should not be allowed out of the workplace. HZ27 Avoid release to the environment. HZ28 Weer protective gloves/eye protection/face protection.		· ·	
CAR 2 Carcinogenicity Category 2 EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EUH066 Repeated exposure may cause skin dryness or cracking. FL 2 Flammable Liquid, Hazard Category 2 FL 3 Flammable Liquid, Hazard Category 3 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H227 Harmid If swallowed. H304 May be fatal if swallowed and enters airways. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing genetic defects (exposure route). H351 Suspected of Mutagenicity Category 2 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container lightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P264 Wash hands and other contacted skin thoroughly after handling. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.			
EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Flammable Liquid, Hazard Category 2 FL 3 Flammable Liquid, Hazard Category 3 H226 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H226 Flammable liquid and vapour. H327 Hazard May be fatal if swallowed. H330 May be fatal if swallowed and enters airways. H341 Causes skin irritation. H347 May cause an altergic skin reaction. H348 May cause an altergic skin reaction. H358 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H350 Very toxic to aquatic life. H440 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P264 Wash hands and other contacted skin thoroughly after handling. P276 Do not eat, drink or smoke when using this product. P277 Use only outdoors or in a well-ventilated area. P277 Avoid release to the environment.			
EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EUH066 Repeated exposure may cause skin dryness or cracking. FL 2 Fiammable Liquid, Hazard Category 2 FL 3 Fiammable Liquid, Hazard Category 3 HZ25 Highly fiammable liquid and vapour. HZ26 Fiammable liquid and vapour. HZ26 Fiammable liquid and vapour. HZ26 Fiammable liquid and vapour. HZ27 Again May be fatal if swallowed. HZ28 May be fatal if swallowed and enters airways. HZ29 Causes skin irritation. HZ29 May cause an allergic skin reaction. HZ29 May cause an allergic skin reaction. HZ29 Causes serious eye irritation. HZ29 May cause drowsiness or dizziness. HZ29 May cause drowsiness or dizziness. HZ29 Causes defort aquatic life. HZ29 May cause drowsiness or dizziness. HZ29 Causes defort aquatic life. HZ20 Or to thandle until all safety precautions have been read and understood. HZ20 Do not handle until all safety precautions have been read and understood. HZ20 Do not handle until all safety precautions have been read and understood. HZ20 Ground/bond container and receiving equipment. HZ21 Use explosion-proof electrical, ventilating and lighting equipment. HZ21 Use only non-sparking tools. HZ24 Use only non-sparking tools. HZ24 Vash hands and other contacted skin thoroughly after handling. HZ210 Do not eat, drink or smoke when using this product. HZ211 Use only outdoors or in a well-ventilated area. HZ212 Contaminated work clothing should not be allowed out of the workplace. HZ270 Avoid release to the environment.			
EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1  EUH066 Repeated exposure may cause skin dryness or cracking:  FL 2 Flammable Liquid, Hazard Category 2  FL 3 Flammable Liquid, Hazard Category 3  H226 Highly flammable liquid and vapour.  H226 Flammable liquid and vapour.  H302 Harmful if swallowed.  H304 May be fatal if swallowed and enters airways.  H315 Causes skin irritation.  H317 May cause an allergic skin reaction.  H318 Causes serious eye irritation.  H319 Causes serious eye irritation.  H336 May cause drowsiness or dizziness.  H341 Suspected of causing genetic defects (exposure route).  H351 Suspected of causing genetic defects (exposure route).  H340 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use only non-sparking tools.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P246 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.		† · · · · · · · · · · · · · · · · · · ·	
EUHo66 Repeated exposure may cause skin dryness or cracking.  FL 2 Flammable Liquid, Hazard Category 2 FL 3 Flammable Liquid, Hazard Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H327 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 May cause an allergic skin reaction. H319 Causes serious eye irritation. H319 Suspected of causing genetic defects (exposure route). H351 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.			
FL 2 Flammable Liquid, Hazard Category 2 FL 3 Flammable Liquid, Hazard Category 3 H225 Highy flammable liquid and vapour. H226 Flammable liquid and vapour. H226 Flammable liquid and vapour. H300 Harmful if swallowed. H300 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Suspected of causing genetic defects (exposure route). H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing genetic defects (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.			
FL 3 Flammable Liquid, Hazard Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H327 Harmful if swallowed. H3304 May be fatal if swallowed and enters airways. H3315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H351 Very toxic to aquatic life. H440 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.			
H225 Highly flammable liquid and vapour.  H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H310 May cause an allergic skin reaction. H3110 May cause drowsiness or dizziness. H3111 Suspected of causing genetic defects (exposure route). H3112 Suspected of causing genetic defects (exposure route). H3113 Very toxic to aquatic life. H314 Suspected of causing cancer (exposure route). H315 Suspected of causing cancer (exposure route). H316 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.		· · · · · · · · · · · · · · · · · · ·	
H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.			
H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P244 Wash hands and other contacted skin thoroughly after handling. P254 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.			
H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	_		
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.			
H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.			
H319 Causes serious eye irritation.  H336 May cause drowsiness or dizziness.  H341 Suspected of causing genetic defects (exposure route).  H351 Suspected of causing cancer (exposure route).  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.			
H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.			
H341 Suspected of causing genetic defects (exposure route). H351 Suspected of causing cancer (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.			
H351 Suspected of causing cancer (exposure route). H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.			
H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	H341		
H410 Very toxic to aquatic life with long lasting effects.  MUT 2 Germ Cell Mutagenicity Category 2  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	H351		
MUT 2 Germ Cell Mutagenicity Category 2  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	H400	Very toxic to aquatic life.	
P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	H410	Very toxic to aquatic life with long lasting effects.	
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.  P233 Keep container tightly closed.  P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	MUT 2	Germ Cell Mutagenicity Category 2	
P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P202	Do not handle until all safety precautions have been read and understood.	
P240 Ground/bond container and receiving equipment.  P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.	
P241 Use explosion-proof electrical, ventilating and lighting equipment.  P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P233	Keep container tightly closed.	
P242 Use only non-sparking tools.  P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P240	Ground/bond container and receiving equipment.	
P243 Take precautionary measures against static discharge.  P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P241	Use explosion-proof electrical, ventilating and lighting equipment.	
P261 Avoid breathing vapour or dust.  P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P242	Use only non-sparking tools.	
P264 Wash hands and other contacted skin thoroughly after handling.  P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P243	Take precautionary measures against static discharge.	
P270 Do not eat, drink or smoke when using this product.  P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P261	Avoid breathing vapour or dust.	
P271 Use only outdoors or in a well-ventilated area.  P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P264	Wash hands and other contacted skin thoroughly after handling.	
P272 Contaminated work clothing should not be allowed out of the workplace.  P273 Avoid release to the environment.  P280 Wear protective gloves/eye protection/face protection.	P270	Do not eat, drink or smoke when using this product.	
P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection.	P271	Use only outdoors or in a well-ventilated area.	
P280 Wear protective gloves/eye protection/face protection.	P272	Contaminated work clothing should not be allowed out of the workplace.	
	P273	Avoid release to the environment.	
P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	P280	Wear protective gloves/eye protection/face protection.	
	P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	



Page 11 of 11 Revision: 1

Date: 20/04/2016

## SAFETY DATA SHEET SNAP'EM GEL - CURRY

SDS compliant with CLP

P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1B	Sensitization - Skin Category 1B
STO-SE 3(NE)	Specific Target Organ Toxicity (Single Exposure) Category 3

## Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.