

**FLAMMABLE LIQUID ■ HARMFUL ■ ECOTOXIC**  
KEEP OUT OF REACH OF CHILDREN

# Actellic<sup>®</sup> 50 EC

## INSECTICIDE

**For use in Grain, Grain Stores  
and for Fly control.**

**Active Ingredient:** 500 g/L of pirimiphos-methyl in the form of an emulsifiable concentrate



**HAZARD CLASSIFICATIONS: 3.1C, 6.1D, 6.3B, 6.4A, 6.8B, 6.9A, 9.1A, 9.3A, 9.4A**

**WARNING: FLAMMABLE, TOXIC, ECOTOXIC**

Flammable liquid and vapour. May be harmful if swallowed, inhaled or absorbed through the skin. May cause eye and mild skin irritation. May cause reproductive/development effects from repeated ingestion. May cause neurological symptoms (See 'Symptoms of Poisoning' below) from repeated ingestion at high doses. Very toxic to aquatic organisms, terrestrial vertebrates and terrestrial invertebrates.

**PRECAUTIONS**

APPROVED HANDLER: This product must be under the control of an approved handler during use.

STORAGE: Keep out of reach of children. Do not store near heat, flame or other source of ignition. Store in the original, tightly closed container, in a secure and well ventilated area away from feed or foodstuffs. Do not store for prolonged periods in direct sunlight. Storage of certain quantities of this product trigger specific storage requirements (Refer to HazNote). When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of product that is older than this.

PERSONAL PROTECTION: Avoid contact with eyes and skin. Avoid inhalation of vapour or spray mist. When mixing or applying, wear overalls, chemical resistant boots and gloves, waterproof head covering, eye protection and respirator (organic vapour and particulate matter). Clean protective clothing daily after work. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

USE: Avoid handling, mixing or use of the product or container near heat, flame or other source of ignition. Do not use near air vents or ducts. Apply with well maintained and calibrated spray equipment. See further instructions under 'Directions for Use' and 'Preparation' below.

DISPOSAL: Dispose of this product only by using according to the label, or at a suitable landfill. Do not burn. Triple rinse container and add rinsate to the spray tank. Dispose of container to a suitable landfill. Do not burn. Do not use container for any other purpose.

ENVIRONMENTAL: Use this product carefully. Do not contaminate aquatic environments with product, spray drift or empty container. Very toxic to bees - Spray must not be applied in an area where bees are foraging.

**Symptoms of Poisoning**

These may include excessive sweating, headache, weakness, faintness, giddiness, nausea, stomach pains, vomiting, small pupils, blurred vision and muscle twitching.

**First Aid**

If swallowed do not induce vomiting. If splashed in eyes, wash out immediately with running water for several minutes. If skin or hair contact occurs, remove contaminated clothing and wash with soap and running water. If inhaled, immediately move to fresh air and rest. Maintain half upright position if breathing is difficult. Call the National Poisons Centre **0800 POISON (0800 764 766)** (24 hrs) or a doctor immediately for advice.

**Emergency Response**

In a transport emergency call **111, Police or Fire Brigade**. In a fire, evacuate and call 111 Fire Brigade. For specialist advice in an emergency only, call **0800 CHEMCALL (0800 243 6225)** (24 hrs).

**Spillage**

Extinguish any ignition sources. Exclude non-essential people from the area. Wear protective clothing and prevent material from entering waterways. Absorb spill with inert material such as soil, sand, etc, and place in a waste container. Wash area with water and detergent, and absorb with further inert material. Dispose of safely to a suitable landfill.

**Safety Data Sheet**

Additional information is provided in the safety data sheet. Freephone 0800 ORIONCP (0800 674 6627) or visit [www.orioncp.co.nz](http://www.orioncp.co.nz).

**PLEASE READ THE LABEL COMPLETELY BEFORE USE**

**DIRECTIONS FOR USE  
Grain / Storage Pests**

Situation	Pest	Rate	Critical Comments
Disinfestation of empty grain stores, silos, grain handling equipment and the treatment of bagged small grains	Saw-toothed Grain Beetle, Granary Weevil, Maize Weevil, Rice Weevil, Red Flour Beetle, Confused Flour Beetle, Angoumois Grain Moth, Keuhniella, Mediterranean Flour Moth, Fruit Moth,	200 ml in 10 litres of water	<b>Note:</b> Lesser Grain Borer ( <i>Rhizopertha dominica</i> ) may require higher rates or an alternative material.
Unpainted concrete surfaces		200 ml in 10 litres of water	Spray to point of run-off.
Other surfaces		100 ml in 10 litres of water	Spray to point of run-off.
Bagged grain	Cereal Mite, Flour mite, Flat Grain Beetle, Indian Meal Moth, Lesser Meal Worm Hide Beetle, Psocids	50-100 ml in 5 litres of water per 100 square metres	Use the higher rate for existing infestations.
Admixture to stored grain	Brown House Moth, Bean Weevil, White Shouldered House Moth, Australian Spider Beetle, Cadelle, Dried Fruit Moth	8ml per tonne of grain	Recommended where long-term protection is required. Apply dilute with sufficient water to obtain uniform distribution. It is not essential to cover every grain as the fumigant action of Actellic 50 EC will help with overall insect control.

**Flies / Wasps**

Situation	Pest	Rate	Critical Comments
Indoor residual spray Slaughter houses, dairy factories, poultry houses, piggeries	Flies	100 ml in 10 litres of water	For surfaces other than unpainted concrete. Remove all animals from areas to be treated and DO NOT use in areas where dairy or meat products or packaging materials are processed, packed or stored. Apply using a coarse spray, apply to wet all surfaces. Particular attention should be paid to areas where flies congregate. Repeat monthly or when flies reappear.
Outdoor Stockyards, around animal houses, refuse tips, bins and compost heaps	Flies	500 ml in 10 litres of water per 100 square metres	Use after removing all animals from areas to be treated.
Outdoor nests	Wasps	100 ml in 10 litres of water	Thoroughly spray nests and surrounding area. Treat in the evening or early morning when wasps are not active. Plug entrance after treatment.

**GENERAL INFORMATION**

Actellic 50 EC is a fast acting broad-spectrum organophosphate insecticide of low mammalian toxicity. It kills insects by contact, ingestion and fumigant action. Actellic 50 EC controls a range of pests in grain, grain stores, livestock houses and yards. **Insect pests controlled include:** Flies, Wasps, Beetles, Weevils and Moths. Actellic 50 EC provides rapid knockdown of insect pests and will persist on walls, floors and other inert surfaces to give residual control.

**PREPARATION**

All surfaces to be treated should be free of dust, dirt or food residues as these impair insecticide adhesion and encourage reinfestation. All exposed food and open food containers should be removed before treatment, or covered to avoid unnecessary contamination. Food contact surfaces should be thoroughly cleaned after application.

**APPLICATION**

Actellic 50 EC may be applied through all conventional spraying equipment including knapsack and motorised sprayers. When applying as a spray, sufficient water should be used to wet all surfaces yet avoid run-off. All surfaces should be sprayed including floors, walls and ceilings, with particular attention to areas where insects breed and hide, such as cracks and crevices and warm areas around equipment.

**Note:** In practice the actual amount of spray which can be applied to a surface without run-off varies. Normally 5 litres per 100 square metres will be sufficient, but on porous surfaces such as concrete, bricks and unpainted wood, up to 15 litres per 100 square metres may be required. In the interests of efficiency and economy it is necessary to consider the type of surface to be sprayed.

Regular treatment may be necessary where washing or rain removes insecticide residues and on alkaline surfaces such as plaster or unpainted concrete.

**WARRANTY**

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer's control. The manufacturer declines all liability for damage resulting from improper storage or use of the product.

AsureQuality assessed (Categories B and C) (Dairy Factories)  
NZFSA Approved Type B (all animal product except dairy)

Registered pursuant to the ACVM Act 1997, No. P3590.  
See [www.nzfsa.govt.acvm/](http://www.nzfsa.govt.acvm/) for registration conditions.  
Approved pursuant to the HSN0 Act 1996, No. HSR000196  
See [www.ermanz.govt.nz](http://www.ermanz.govt.nz) for approval conditions.

©ACTELIC is a Registered Trade Mark of a Syngenta Group Company.

Registrant: Orion Crop Protection Limited,  
Triton Technical Park, Building B, 14 - 22 Triton Drive,  
North Harbour, Auckland.



**UN 1993  
FLAMMABLE LIQUID, N.O.S. (AROMATIC SOLVENT 36%, BUTANOL 2%)  
PACKING GROUP III  
HAZCHEM CODE 3[Y]  
ADDITIONAL INFORMATION: ORGANOPHOSPHORUS INSECTICIDE (PIRIMIPHOS METHYL 50%)  
IN A TRANSPORT EMERGENCY, DIAL 111 POLICE OR FIRE BRIGADE.  
FOR SPECIALIST ADVICE IN AN EMERGENCY CALL 0800 CHEMCALL (0800 243 622)**

Batch No.

Date of manufacture

Net Contents 5 Litres