

**CISLIN EC2,5 10X100ML BOT PH**Version 1 / EU
1020000039991/8
Revision Date: 27.05.2009
Print Date: 23.02.2010**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product information**

Trade name CISLIN EC2,5 10X100ML BOT PH
 Product code (UVP) 05950597
 Usage Insecticide
 Company Bayer CropScience AG
 Alfred-Nobel-Straße 50
 40789 Monheim am Rhein
 Germany

Telefax +49(0)2173-38-7394
 Responsible Department Material and Transport Safety Management
 +49(0)2173-38-3409/3189 (during business hours only)
 Email: INFO.EHS@bayercropscience.com

Emergency telephone number +49(0)2133-51-4233 (Sicherheitszentrale Dormagen, Bayer AG)

2. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

Flammable.
 Harmful by inhalation and if swallowed.
 Irritating to skin.
 Risk of serious damage to eyes.
 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Emulsifiable concentrate (EC)
 Deltamethrin 25 g/l

Hazardous components

| Chemical Name | CAS-No. / EC-No. | Symbol(s) | R-phrase(s) | Concentration [%] |
|---|-------------------------|-----------|--------------------------|-------------------|
| Deltamethrin | 52918-63-5 258-256-6 | T, N | R23/25, R50/53 | 2,80 |
| Nonylphenol ethoxylate | 9016-45-9 5000246 | Xi | R41, R52/53 | > 5,00 - < 10,00 |
| Dodecyl benzene sulphonate, calcium salt | 26264-06-2 247-557-8 | Xi | R38, R41 | > 5,00 - < 10,00 |
| 2-Methylpropan-1-ol | 78-83-1 201-148-0 | Xi | R10, R37/38, R41, R67 | > 1,00 - < 5,00 |
| Solvent naphtha (petroleum), light aromatic | 64742-95-6 265-199-0 | N | R10, R51/53 | > 25,00 |

For the full text of the R-phrases mentioned in this Section, see Section 16.



CISLIN EC2,5 10X100ML BOT PH

Version 1 / EU
102000003999

2/8
Revision Date: 27.05.2009
Print Date: 23.02.2010

4. FIRST AID MEASURES

General advice

Remove contaminated clothing immediately and dispose of safely.

Inhalation

Move to fresh air. Keep patient warm and at rest. If symptoms persist, call a physician.

Skin contact

In case of skin contact, immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.

Ingestion

Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.

Notes to Physician

Symptoms

Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours., Skin, eye and mucous membrane irritation, Cough

Symptoms

Systemic:, Discomfort in the chest, Tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Dizziness, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration

Risks

This product contains a pyrethroid.
Must NOT be confused with organophosphorus compounds!

Treatment

Local treatment:
Initial treatment: symptomatic.

Treatment

Systemic treatment:
Initial treatment: symptomatic.
Monitor: respiratory and cardiac functions.
In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.
Keep respiratory tract clear.
Give oxygen or artificial respiration if needed.
In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens.
If not effective, phenobarbital may be used.
Contraindication: atropine.
Contraindication: derivatives of adrenaline.
There is no specific antidote.
Recovery is spontaneous and without sequelae.



CISLIN EC2,5 10X100ML BOT PH

Version 1 / EU
102000003999

3/8
Revision Date: 27.05.2009
Print Date: 23.02.2010

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which should not be used for safety reasons

High volume water jet

Specific hazards during fire fighting

Dangerous gases are evolved in the event of a fire.

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat.

Whenever possible, contain fire-fighting water by diking area with sand or earth.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Keep people away from and upwind of spill/leak.

Avoid contact with spilled product or contaminated surfaces.

When dealing with a spillage do not eat, drink or smoke.

Environmental Precautions

Do not allow to get into surface water, drains and ground water.

Methods for cleaning up

Keep in suitable, closed containers for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Clean floors and contaminated objects with plenty of water.

Additional Advice

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

Check also for any local site procedures.

7. HANDLING AND STORAGE

Handling

Advice on safe handling

No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.

Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Vapours may form explosive mixture with air.

Storage

Requirements for storage areas and containers

Store in a place accessible by authorized persons only.

**CISLIN EC2,5 10X100ML BOT PH**Version 1 / EU
102000003999

4/8

Revision Date: 27.05.2009

Print Date: 23.02.2010

Keep away from direct sunlight.

Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Suitable materials

Coextruded containers with an internal barrier layer made of ethylene vinyl alcohol copolymer (EVOH)

Coextruded containers with an internal barrier layer made of polyamide (PA)

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

| Components | CAS-No. | Control parameters | Update | Basis |
|--------------|------------|------------------------|--------|----------|
| Deltamethrin | 52918-63-5 | 0,02 mg/m ³ | | OES BCS* |

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

| | |
|--------------------------|--|
| Respiratory Protection | Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance. |
| Hand protection | Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet. |
| Eye protection | Wear goggles conforming to EN166 (Field of Use 5 or equivalent). |
| Skin and body protection | Wear standard coverall and type 6 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer. |
| Hygiene measures | When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Wash hands immediately after work, if necessary take a shower. |

**CISLIN EC2,5 10X100ML BOT PH**Version 1 / EU
1020000039995/8
Revision Date: 27.05.2009
Print Date: 23.02.2010**9. PHYSICAL AND CHEMICAL PROPERTIES****Appearance**Form liquid, clear
Colour yellowish**Safety data**

pH 4 - 5 at 1 %

Flash point 42 °C
The data refer to solvent naphtha petroleum.Ignition temperature 450 °C
The data refer to solvent naphtha petroleum.Upper explosion limit 6,5 %(V)
The data refer to solvent naphtha petroleum.Lower explosion limit 0,7 %(V)
The data refer to solvent naphtha petroleum.Density approx. 0,89 g/cm³ at 20 °C

Water solubility miscible

10. STABILITY AND REACTIVITY

Conditions to Avoid Extremes of temperature and direct sunlight.

Hazardous Reactions No hazardous reactions when stored and handled according to prescribed instructions.
Stable under recommended storage conditions.**11. TOXICOLOGICAL INFORMATION**

Acute Oral Toxicity LD50 (rat) 431 mg/kg

Acute Inhalation Toxicity LC50 (rat) 2,69 mg/l
Exposure time: 4 h

Acute Dermal Toxicity LD50 (rat) > 2.000 mg/kg

Skin Irritation Irritating to skin. (rabbit)

Eye Irritation Severe eye irritation. (rabbit)

Sensitization Non-sensitizing. (guinea pig)
OECD Test Guideline 406, Buehler test

Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae.
However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

**CISLIN EC2,5 10X100ML BOT PH**Version 1 / EU
1020000039996/8
Revision Date: 27.05.2009
Print Date: 23.02.2010

The toxicological data refer to a similar formulation.

12. ECOLOGICAL INFORMATION**Elimination information (persistence and degradability)**

Bioaccumulation Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1.400
The value mentioned relates to the active ingredient deltamethrin.

Ecotoxicity effects

Toxicity to Fish LC50 (Rainbow trout (Oncorhynchus mykiss)) 0,0093 mg/l
Exposure time: 96 h

Toxicity to daphnia EC50 (Water flea (Daphnia magna)) 0,0039 mg/l
Exposure time: 48 h

Toxicity to algae EC50 (Pseudokirchneriella subcapitata) 62,1 mg/l
Exposure time: 96 h

13. DISPOSAL CONSIDERATIONS**Product**

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Contaminated packaging

Triple rinse containers.
Do not re-use empty containers.
Not completely emptied packagings should be disposed of as hazardous waste.

Waste key for the unused product

020108 agrochemical waste containing dangerous substances

14. TRANSPORT INFORMATION**ADR/RID/ADNR**

| | |
|--------------------------|--|
| UN-Number | 1993 |
| Labels | 3 |
| Packaging group | III |
| Hazard no. | 30 |
| Description of the goods | FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, SOLVENT NAPHTHA (PETROLEUM) LIGHT AROMATIC SOLUTION) |
| Special Provision | 640E |

IMDG

| | |
|-----------------|-------------|
| UN-Number | 1993 |
| Labels | 3 |
| Packaging group | III |
| EmS | F-E , S-E |

**CISLIN EC2,5 10X100ML BOT PH**Version 1 / EU
1020000039997/8
Revision Date: 27.05.2009
Print Date: 23.02.2010Marine pollutant
Description of the goodsMarine pollutant
FLAMMABLE LIQUID, N.O.S.
(DELTAMETHRIN, SOLVENT NAPHTHA (PETROLEUM)
LIGHT AROMATIC SOLUTION)**IATA**

UN-Number

1993

Labels

3

Packaging group

III

Description of the goods

FLAMMABLE LIQUID, N.O.S.
(DELTAMETHRIN, SOLVENT NAPHTHA (PETROLEUM)
LIGHT AROMATIC SOLUTION)**15. REGULATORY INFORMATION****Classification and labelling in accordance with the EC Directive on dangerous preparations 1999/45/EC as amended.**

Classification:

Hazard warning labelling compulsory

Hazardous components which must be listed on the label:

- Deltamethrin

Symbol(s)

Xn

Harmful

N

Dangerous for the environment

R-phrases(s)

R10

Flammable.

R20/22

Harmful by inhalation and if swallowed.

R38

Irritating to skin.

R41

Risk of serious damage to eyes.

R50/53

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S35

This material and its container must be disposed of in a safe way.

S37

Wear suitable gloves.

S57

Use appropriate container to avoid environmental contamination.

Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.

Further information

WHO-classification: II (Moderately hazardous)

16. OTHER INFORMATION**Further information**

Text of R-phrases mentioned in Section 3

R10

Flammable.

R23/25

Toxic by inhalation and if swallowed.

R37/38

Irritating to respiratory system and skin.



CISLIN EC2,5 10X100ML BOT PH

Version 1 / EU
102000003999

8/8
Revision Date: 27.05.2009
Print Date: 23.02.2010

| | |
|--------|--|
| R38 | Irritating to skin. |
| R41 | Risk of serious damage to eyes. |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R52/53 | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R67 | Vapours may cause drowsiness and dizziness. |

The information given in this Data Sheet has been included in accordance with the guidelines established by Regulation (EC) 1907/2006. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.