

MATERIAL SAFETY DATA SHEET

Crackdown® Residual Insecticide

Date of Issue: October 10, 2002

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Product name: Crackdown® Residual Insecticide
Other names: None
Product code: AE F032640 29 SE10 A1
SAP Product code: 131717 (2.5 L)
Recommended use: An insecticide for use as a general purpose pest control residual surface spray.
Supplier: Bayer Environmental Science - A Business Group of Bayer CropScience Pty Ltd ABN 87 000 226 022
Address: 391 - 393 Tooronga Road, East Hawthorn Victoria 3123, Australia
Telephone: (03) 9248 6888
Facsimile: (03) 9248 6800
Website: www.bayercropscience.com.au
Contact: Technical Manager (03) 9248 6854
Emergency Telephone Number: 1800 033 111 – Orica SH&E Shared Services

2. HAZARDS IDENTIFICATION

NON-HAZARDOUS SUBSTANCE - NON-DANGEROUS GOOD

Will irritate eyes and skin. Not flammable.

Hazard designation: Not classified as hazardous according to criteria of Worksafe Australia.

Risk phrases: Not applicable

Safety phrases: Not applicable

ADG classification: This product is not classified as a Dangerous Good under the Australian Code for the Transport of Dangerous Goods by Road and Rail.

SUSDP classification: Schedule 5 (Standard for the Uniform Scheduling of Drugs and Poisons)

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Concentration (g/L):
Deltamethrin	[52918-63-5]	10
<i>d</i> -Tetramethrin 20:80	[7696-12-0]	10
Piperonyl butoxide	[51-03-6]	80
Propylene glycol	[57-55-6]	57
Other ingredients	(non hazardous)	850

4. FIRST AID MEASURES

MATERIAL SAFETY DATA SHEET

Crackdown® Residual Insecticide

Date of Issue: October 10, 2002

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Material Safety Data Sheet to a doctor.

- Inhalation:** Remove to fresh air, allow to rest and keep warm. Loosen clothes.
- Skin contact:** Remove all contaminated clothing and shoes. Wash off skin immediately with soap and plenty of water. Seek medical advice if irritation persists. Launder contaminated clothing before re-use.
- Eye contact:** Rinse immediately with plenty of water for at least 15 minutes, holding eye open. Seek advice from an ophthalmologist.
- Ingestion:** Wash out mouth with water. Do not induce vomiting. Keep patient at rest and seek medical advice as above. Do not apply mouth to mouth resuscitation if the material has been ingested.
- First Aid Facilities:** Ensure eye wash and safety shower are available when handling this product.
- Symptoms:** Symptoms include headache, dizziness, drowsiness, diarrhoea, nausea, vomiting.
- Medical attention:** Treat large intakes with gastric lavage, and charcoal administration. Use endotracheal intubation, and artificial respiration (if necessary). Monitor respiratory and cardiac functions. Observe electrocardiograph, and check for pulmonary oedema in event of inhalation. Anti-convulsant therapy with diazepam i.v. No antidote known. Treat symptoms. Recovery should be spontaneous. Elimination by: dialysis, haemo-perfusion. Contraindication – adrenergic compounds, atropine. DO NOT confuse with anticholinesterase compounds.
- Skin contacted by deltamethrin must be carefully cleaned with cleansing milk. Symptoms can be partially alleviated by the application of a vitamin E or moisturising cream or anaesthetic ointment. For eyes, instil local anaesthetic drops e.g. 1% amethocaine hydrochloride eye drops. Give analgesics as necessary.

5. FIRE FIGHTING MEASURES

- Extinguishing media:** Water spray, carbon dioxide, foam, dry chemical. Do not use a water jet from a fire hose.
- Hazards from combustion products:** Heating/combustion will generate oxides of carbon and nitrogen, and other irritant and toxic fumes.
- Precautions for fire fighters:** Fire fighters should wear full protective clothing and self-contained breathing apparatus. Do not release contaminated water into the environment. Keep intact containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

MATERIAL SAFETY DATA SHEET

Crackdown® Residual Insecticide

Date of Issue: October 10, 2002

Avoid contact with spilled material or contaminated surfaces. When dealing with the spillage do not eat, drink or smoke and wear personal protective clothing and equipment as detailed in 'Personal Protection' section. Keep people and animals away. Prevent spillage from entering drains, sewers or watercourses. Contain/absorb spillage in sand/earth or other suitable inert material. Transfer collected material to sealable containers. Seal and label containers ready for disposal.

Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

7. HANDLING AND STORAGE

Handling: Use only in a well-ventilated area. Avoid contact with skin and eyes. Do not spray facing the wind.

Storage: Store product in the closed, original container in a safe, cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Protect from frost.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards: No exposure standard has been assigned by the National Occupational Health and Safety Commission (Worksafe Australia). Aventis recommends an Occupational Exposure Standard for deltamethrin of 0.28 mg/m³. The manufacturer of propylene glycol recommends a TWA exposure limit of 10 mg/m³ mist (400 ppm vapour).

Engineering controls: No special ventilation is required, as this product is not volatile. Control process conditions to avoid contact. Use local exhaust ventilation while spraying, if possible.

Personal Protective Equipment:

Eyes:	Wear face shield.
Clothing:	When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat.
Gloves:	Elbow-length PVC gloves
Respiratory:	Avoid inhaling spray mist.
Other:	Do not eat, drink or smoke until after washing. Wash thoroughly after handling. After each day's use wash gloves, face shield and contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White liquid, mild aromatic odour
Odour: Mild aromatic odour
Vapour pressure: As for water
Vapour density: Not available
Boiling point: 100° C (boiling point)
Solubility: Forms a suspension
Density: 1.01 at 20° C
pH: Not available

MATERIAL SAFETY DATA SHEET

Crackdown® Residual Insecticide

Date of Issue: October 10, 2002

Flash Point: Not available – not flammable
Flammability (explosive) limits: Not applicable
Auto-ignition temperature: Not applicable
Octanol/water partition coefficient: Not available
Formulation: Suspension concentrate

10. STABILITY AND REACTIVITY

Chemical stability: Stable under normal conditions. No hazards are expected if the material is handled, stored and used according to instructions and government regulations. Not known to produce hazardous reactions. Avoid oxidising agents, strong acids and alkalis.

Hazardous polymerisation: Not known to produce hazardous reactions.

Conditions to avoid: Avoid oxidising agents, strong acids and alkalis.

Incompatible materials: Avoid iron and alloys.

Hazardous decomposition products: Heating/combustion will generate oxides of carbon and nitrogen, and other irritant and toxic fumes.

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

Inhalation: Avoid breathing spray. Inhalation of spray may cause transient irritation of mucous membranes (nose, throat and respiratory tract) for up to 24 hours.

Skin contact: Irritating. Contact with the skin, especially the face, may result in initial stinging or burning sensations followed by numbing which may persist for a few hours.

Eye contact: Irritant.

Ingestion: Product is harmful if swallowed. Symptoms include headache, dizziness, drowsiness, diarrhoea, nausea, vomiting.

Other: None

ANIMAL TOXICITY DATA – PRODUCT: No data available for the product.

ANIMAL TOXICITY DATA – INDIVIDUAL INGREDIENTS:

MATERIAL SAFETY DATA SHEET

Crackdown® Residual Insecticide

Date of Issue: October 10, 2002

Acute:

Oral toxicity:	LD ₅₀ rat: > 10,000 mg/kg (similar product) LD ₅₀ rat: 130 mg/kg (deltamethrin) LD ₅₀ rat: > 5,000 mg/kg (<i>d</i> -tetramethrin) LD ₅₀ rat: 5,630 mg/kg (piperonyl butoxide)
Dermal toxicity:	LD ₅₀ rat: > 10,000 mg/kg (similar product) LD ₅₀ rabbit: > 2,000 mg/kg (deltamethrin) LD ₅₀ rat: > 5,000 mg/kg (<i>d</i> -tetramethrin) LD ₅₀ rabbit: > 2,000 mg/kg (piperonyl butoxide)
Inhalation toxicity:	LC ₅₀ rat: 2.2 mg/L (4 hours) (deltamethrin) LC ₅₀ rat: > 1,180 mg/m ³ (3-hour) (<i>d</i> -tetramethrin) LC ₅₀ rat: > 5.9 mg/L (4-hour) (piperonyl butoxide)
Skin irritation:	Not irritating – rabbit (deltamethrin) Not irritating – rabbit (<i>d</i> -tetramethrin)
Eye irritation:	Slightly irritating – rabbit (deltamethrin)
Sensitisation:	Not sensitising - guinea pig (deltamethrin)

Chronic:

Deltamethrin is not mutagenic, carcinogenic or teratogenic. Piperonyl butoxide is not classified as a carcinogen. One reference indicates that exposure to large amounts of piperonyl butoxide may cause blood disorders or liver damage. Piperonyl butoxide is not mutagenic. No birth defects or adverse effects on reproductive parameters were found in studies with rats and rabbits. Piperonyl butoxide is not considered to be teratogenic.

12. ECOLOGICAL INFORMATION

Do not contaminate streams, rivers or waterways with the product or used containers.

Fish toxicity:	LC ₅₀ fish: 0.001 – 0.01 mg/L (96-h) Deltamethrin LC ₅₀ bluegill sunfish: 0.069 mg/L (96-h) <i>d</i> -Tetramethrin LC ₅₀ carp: 5.3 mg/L (24 hour) Piperonyl butoxide
Daphnia toxicity:	Not available
Toxicity to algae:	Not available
Bird toxicity:	LD ₅₀ duck: > 5,000 mg/kg Deltamethrin LD ₅₀ quail: > 10,000 mg/kg Deltamethrin LD ₅₀ mallard duck: > 1,000 mg/kg 8-day dietary Tetramethrin LD ₅₀ bobwhite quail: > 1,000 mg/kg 8-day dietary Tetramethrin LD ₅₀ starlings: >100 mg/kg ACUTE ORAL Piperonyl butoxide
Bee toxicity:	Tetramethrin is not toxic to bees. Piperonyl butoxide is not toxic to bees.
Other:	None

MATERIAL SAFETY DATA SHEET
Crackdown® Residual Insecticide

Date of Issue: October 10, 2002

**Environmental
fate, persistence
and degradation:**

Deltamethrin is highly toxic to fish and aquatic organisms. Deltamethrin is not persistent in the environment. It is destroyed by soil microorganisms and does not leave residues in the environment or build up in the food chain.

MATERIAL SAFETY DATA SHEET

Crackdown® Residual Insecticide

Date of Issue: October 10, 2002

13. DISPOSAL CONSIDERATIONS

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for the purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt. Dispose of waste product safely.

14. TRANSPORT INFORMATION

UN number: Not applicable
Proper shipping name: Not applicable
Class and Subsidiary Risk: Not classified as hazardous according to criteria of Worksafe Australia.
Packing Group: Not applicable
EPG: Not applicable
Hazchem code: Not applicable

15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Act 1988

National Registration Authority approval number: 45907

16. OTHER INFORMATION

Trademark information: Crackdown® is a Registered Trademark of Bayer

Preparation information: Replaces January 2, 2002 edition.
Reason for update: Conversion to 16 heading format.

Data sources: Bayer CropScience Pty Ltd. – Product Safety Data and published data.

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

MATERIAL SAFETY DATA SHEET
Crackdown® Residual Insecticide

Date of Issue: October 10, 2002

END OF MSDS