



**CERTIFICATE OF REGISTRATION OF PESTICIDE/VECTOR  
REPELLENT**

**ISSUED UNDER SECTION 8 OF THE CONTROL OF VECTORS AND PESTICIDES  
ACT 1998**

**Registration Number : SINNEAI-EmlCN/007/0381**

**This is to certify that**


Name of Registrant : BAYER (SOUTH EAST ASIA) PTE LTD  
Address of Principal : 9 BENOI SECTOR  
Place of Business : SINGAPORE 629844  
Company/Business Certificate No : 197901344Z

**has been granted registration of the following pesticide for advertisement, sale  
and supply in Singapore.**

Product Name : DELTACIDE  
Active Ingredient : S-BIOALLETHRIN  
DELTAMETHRIN  
Content : S-BIOALLETHRIN 0.85% W/W  
DELTAMETHRIN 0.60% W/W  
Formulation : EMULSIFIABLE CONCENTRATE  
Manufacturer : BAYER THAI CO., LTD.  
130/1 NORTH SATHOM RD. SILOM,  
BANGRAK,  
BANGKOK, 10500 THAILAND

The Certificate of Registration is issued subject to the conditions stated overleaf.

17 February 2005  
Date of Registration

  
for Director General of Public Health  
Registration Authority

**DELTACIDE EC**Version 6 / EU  
102000031651/11  
Revision Date: 12.03.2015  
Print Date: 23.04.2015**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Trade name DELTACIDE EC  
Product code (UVP) 05946433

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use Insecticide

**1.3 Details of the supplier of the safety data sheet**

Supplier Bayer CropScience AG  
Alfred-Nobel-Straße 50  
40789 Monheim am Rhein  
Germany

Telefax +49(0)2173-38-7394

Responsible Department Product Safety and Specification Management  
+49(0)2173-38-3409/3685 (during business hours only)  
Email: BCS-SDS@bayer.com

**1.4 Emergency telephone no.**

Emergency telephone no. Global Incident Response Hotline (24h)  
+1 (760) 476-3964 (Company 3E for Bayer CropScience)

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Flammable liquids: Category 3  
H226 Flammable liquid and vapour.

Aspiration hazard: Category 1  
H304 May be fatal if swallowed and enters airways.

Serious eye damage: Category 1  
H318 Causes serious eye damage.

Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

R10  
Xi Irritant, R36  
N Dangerous for the environment, R50/53  
Xn Harmful, R65  
R66

**2.2 Label elements**

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.



**DELTACIDE EC**

Version 6 / EU  
10200003165

2/11  
Revision Date: 12.03.2015  
Print Date: 23.04.2015

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Deltamethrin
- S-Bioallethrin
- Piperonyl butoxide
- Distillates (petroleum), hydrotreated light



Signal word: Danger

**Hazard statements**

- H226 Flammable liquid and vapour.  
 H304 May be fatal if swallowed and enters airways.  
 H318 Causes serious eye damage.  
 H410 Very toxic to aquatic life with long lasting effects.  
 EUH066 Repeated exposure may cause skin dryness or cracking.  
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements**

- P240 Ground/bond container and receiving equipment.  
 P280 Wear protective gloves/protective clothing/eye protection.  
 P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.  
 P501 Dispose of contents/container in accordance with local regulation.

**2.3 Other hazards**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

**Chemical nature**

Emulsifiable concentrate (EC)  
Deltamethrin/S-Bioallethrin/PBO 5:7.5:100 g/l

**Hazardous components**

R-phrases according to EC directive 67/548/EEC  
Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No. / EC-No.	Classification		Conc. [%]
		EC Directive 67/548/EEC	Regulation (EC) No 1272/2008	
Deltamethrin	52918-63-5 258-256-6	T; R23/25 N; R50/53	Acute Tox. 3, H331 Acute Tox. 3, H301 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0,59

**DELTACIDE EC**Version 6 / EU  
102000031653/11  
Revision Date: 12.03.2015  
Print Date: 23.04.2015

S-Bioallethrin	28434-00-6 249-013-5	Xn; R20/22 N; R50/53	Acute Tox. 4, H332 Acute Tox. 4, H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0,89
Piperonyl butoxide	51-03-6 200-076-7	N; R50/53	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	11,91
Nonylphenol ethoxylate	9016-45-9 500-024-6	Xn; R22 Xi; R41 N; R51/53	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 2, H411	> 1,00 – < 25,00
Nonylphenol ethoxylate	9016-45-9 500-024-6	Xi; R36/38 N; R51/53	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411	> 1,00 – < 5,00
Dodecyl benzene sulphonate, calcium salt	26264-06-2 247-557-8	Xi; R38, R41	Skin Irrit. 2, H315 Eye Dam. 1, H318	> 1,00 – < 5,00
2-Methylpropan-1- ol	78-83-1 201-148-0	R10 Xi; R37/38, R41 R67	Flam. Liq. 3, H226 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H336	> 1,00 – < 5,00
Hydrocarbons, C11-C14, n- alkanes, isoalkanes, cyclics, <2% aromatics		Xn; R65 R66	Asp. Tox. 1, H304	> 10,00

**Further information**

Deltamethrin	52918-63-5	M-Factor: 1.000.000 (acute)
S-Bioallethrin	28434-00-6	M-Factor: 10 (acute)
Piperonyl butoxide	51-03-6	M-Factor: 1 (acute)

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

<b>General advice</b>	Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move the victim to fresh air and keep at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.

**DELTACIDE EC**Version 6 / EU  
102000003165

4/11

Revision Date: 12.03.2015  
Print Date: 23.04.2015

**Ingestion** Rinse out mouth and give water in small sips to drink. Do NOT induce vomiting. Risk of product entering the lungs on vomiting after ingestion. Call a physician or poison control center immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms** Local: Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing

Systemic: Discomfort in the chest, Tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Dizziness, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy

**4.3 Indication of any immediate medical attention and special treatment needed**

**Risks** This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

**Treatment** Local treatment: Initial treatment: symptomatic.

Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used.

Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

**Suitable** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable** High volume water jet

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

**5.3 Advice for firefighters**

**Special protective equipment for fire-fighters** In the event of fire, wear self-contained breathing apparatus.

**Further information** Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.



**DELTACIDE EC**

Version 6 / EU  
102000003165

5/11  
Revision Date: 12.03.2015  
Print Date: 23.04.2015

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean floors and contaminated objects with plenty of water.

**Additional advice** Check also for any local site procedures.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition. Vapours may form explosive mixture with air.

**Hygiene measures** When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately after work, if necessary take a shower.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in a place accessible by authorized persons only. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**7.3 Specific end uses** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
------------	---------	--------------------	--------	-------

**DELTAEC EC**Version 6 / EU  
1020000031656/11  
Revision Date: 12.03.2015  
Print Date: 23.04.2015

Deltamethrin	52918-63-5	0,02 mg/m <sup>3</sup> (TWA)		OES BCS*
Piperonyl butoxide	51-03-6	500 ppm (TWA)		OES BCS*
S-Bioallethrin	28434-00-6	0,75 mg/m <sup>3</sup> (SK-SEN)		OES BCS*

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**8.2 Exposure controls****Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	Liquid, clear
<b>Colour</b>	slightly yellow to light brown
<b>pH</b>	4,0 - 7,0 at 5 % (23 °C) (deionized water)
<b>Flash point</b>	ca.37 °C
<b>Upper explosion limit</b>	7,0 %(V) The data refer to the solvent.
<b>Lower explosion limit</b>	0,60 %(V) The data refer to the solvent.
<b>Density</b>	ca. 0,84 g/cm <sup>3</sup> at 20 °C

**DELTACIDE EC**Version 6 / EU  
1020000031657/11  
Revision Date: 12.03.2015  
Print Date: 23.04.2015

<b>Water solubility</b>	miscible
<b>Partition coefficient: n-octanol/water</b>	Deltamethrin: log Pow: 6,4 at 25 °C Piperonyl butoxide: log Pow: 4,75
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute oral toxicity** ATE > 2.000 mg/kg  
ATE – acute toxicity estimate**Acute inhalation toxicity** ATE > 5,00 mg/l  
ATE – acute toxicity estimate**Acute dermal toxicity** ATE > 2.000 mg/kg  
ATE – acute toxicity estimate**Skin irritation** No skin irritation (rabbit)**Eye irritation** Severe eye irritation. (rabbit)**Sensitisation** Non-sensitizing. (guinea pig)**Assessment repeated dose toxicity**

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity. S-bioallethrin did not cause specific target organ toxicity in experimental animal studies. Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies.

**Assessment mutagenicity**

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
S-bioallethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Piperonyl butoxide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.  
S-bioallethrin was not carcinogenic in lifetime feeding studies in rats and mice.



**DELTACIDE EC**Version 6 / EU  
102000003165

8/11

Revision Date: 12.03.2015

Print Date: 23.04.2015

Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

S-bioallethrin did not cause reproductive toxicity in a two-generation study in rats.

Piperonyl butoxide did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

S-bioallethrin did not cause developmental toxicity in rats and rabbits.

Piperonyl butoxide did not cause developmental toxicity in rats and rabbits.

**Further information**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

The above values are calculated in accordance with Regulation (EC) 1272/2008.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity****Toxicity to fish**

LC50 (Oncorhynchus mykiss (rainbow trout)) 0,15 µg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0,0105 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient S-bioallethrin.

(Cyprinodon variegatus (sheepshead minnow)) 3,94 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient piperonyl butoxide.

**Toxicity to aquatic invertebrates**

EC50 (Daphnia magna (Water flea)) 0,0131 µg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient deltamethrin.

EC50 (Daphnia magna (Water flea)) 0,016 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient S-bioallethrin.

EC50 (Daphnia magna (Water flea)) 0,51 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient piperonyl butoxide.

**Toxicity to aquatic plants**

EC50 (Algae) > 9,1 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient deltamethrin.

EC50 (Selenastrum capricornutum) 3,9 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient S-bioallethrin.

**12.2 Persistence and degradability****Biodegradability**

Deltamethrin:

**DELTACIDE EC**Version 6 / EU  
1020000031659/11  
Revision Date: 12.03.2015  
Print Date: 23.04.2015

	not rapidly biodegradable
	S-bioallethrin:
	not rapidly biodegradable
	Piperonyl butoxide:
	not rapidly biodegradable
<b>Koc</b>	Deltamethrin: Koc: 10240000 S-bioallethrin: Koc: 9500 Piperonyl butoxide: Koc: 399 - 830
<b>12.3 Bioaccumulative potential</b>	
<b>Bioaccumulation</b>	Deltamethrin: Bioconcentration factor (BCF) 1.400 Does not bioaccumulate. S-bioallethrin: Bioconcentration factor (BCF) 260 Does not bioaccumulate. Piperonyl butoxide: Potential bioaccumulation
<b>12.4 Mobility in soil</b>	
<b>Mobility in soil</b>	Deltamethrin: Immobile in soil S-bioallethrin: Slightly mobile in soils Piperonyl butoxide: Moderately mobile in soils
<b>12.5 Results of PBT and vPvB assessment</b>	
<b>PBT and vPvB assessment</b>	Deltamethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). S-bioallethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Piperonyl butoxide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
<b>12.6 Other adverse effects</b>	
<b>Additional ecological information</b>	No other effects to be mentioned.

---

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

<b>Product</b>	In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.
<b>Contaminated packaging</b>	Triple rinse containers. Do not re-use empty containers. Not completely emptied packagings should be disposed of as hazardous waste.
<b>Waste key for the unused product</b>	020108 agrochemical waste containing dangerous substances

---

**SECTION 14: TRANSPORT INFORMATION**



## DELTACIDE EC

Version 6 / EU  
10200000316510/11  
Revision Date: 12.03.2015  
Print Date: 23.04.2015

### ADR/RID/ADN

14.1 UN number	1993
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, DISTILLATES (PETROLEUM), HYDROTREATED LIGHT SOLUTION)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	30
Tunnel Code	D/E
Special Provision	640E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

### IMDG

14.1 UN number	1993
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, DISTILLATES (PETROLEUM), HYDROTREATED LIGHT SOLUTION)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Marine pollutant	YES

### IATA

14.1 UN number	1993
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, DISTILLATES (PETROLEUM), HYDROTREATED LIGHT SOLUTION )
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environm. Hazardous Mark	NO

### 14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

---

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Further information

WHO-classification: U (Unlikely to present acute hazard in normal use)

### 15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

---

## SECTION 16: OTHER INFORMATION

### Text of R-phrases mentioned in Section 3

R10	Flammable.
R20/22	Harmful by inhalation and if swallowed.



## DELTACIDE EC

Version 6 / EU  
102000003165

11/11  
Revision Date: 12.03.2015  
Print Date: 23.04.2015

R22	Harmful if swallowed.
R23/25	Toxic by inhalation and if swallowed.
R36/38	Irritating to eyes and skin.
R37/38	Irritating to respiratory system and skin.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

### Text of the hazard statements mentioned in Section 3

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 453/2010 amending Regulation (EU) No 1907/2006 (and any subsequent amendments). This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.