

# Deltanex 15 EC

Reg. No./Nr.: L8801 Act No./Wet Nr. 36 of / van 1947



An emulsifiable concentrate contact insecticide which provides rapid flush-out and knockdown with limited residual action for the control of crawling insects as listed on the label.

'n Emulgeerbare konsentraat kontak spuit wat kruipende insekte vinnig uitdryf en uitklop met 'n kort residuele nawerking vir insekte soos gelys op die etiket.

## ACTIVE INGREDIENTS / AKTIEWE BESTANDELE

Deltamethrin ..... 15 g / ℓ ..... Deltametriën  
Piperonyl Butoxide ..... 40 g / ℓ ..... Piperoniël Butoksied

VOLUME

**1 litre**


Batch number:

Date of Manufacture:

Expiry Date:

Registered & Manufactured by:

**AVIMA** (PTY) LTD  
P O Box 3131, Kenmare, 1745  
Tel: 011 769 1300 • Fax: 011 762 5712  
Emergency Number: 082-446-8946  
Reg. No. 1961/001744/07



## BEFORE USING THE PRODUCT, PLEASE READ THE LABEL CAREFULLY.

### WARNINGS:

**FLAMMABLE** – do not store / spray near open flames or sparks / naked lights. May cause skin, nasal and eye irritation. Handle concentrate with care. Poisonous when swallowed or inhaled. Keep out of reach of children, uninformed persons and animals. Toxic to fish, bees, wildlife and other aquatic organisms. Store in a cool place away from food and feedstuffs. Do not apply onto pets.

### PRECAUTIONS:

Do not inhale spray mist. Prevent excessive wetting of plastic, rubber or asphalt surfaces. Wear protective clothing when handling the concentrate or dilutions. Wear a face shield, overall, rubber gloves and boots when handling the diluted concentrate when applying to surfaces or when working in the spray mist. Avoid skin contact and wash immediately with cold water when in contact with the mixture. Wash with soap and cold water after use. Wash contaminated clothing daily. In case of eye contact, rinse immediately with running water for at least 15 minutes. Do not use in the presence of persons with known sensitivity of pyrethroids. In the case of signs of sensitivity, obtain medical advice. Do not eat, drink or smoke whilst mixing or applying or before washing face and hands. Do not spray directly onto foodstuffs or surfaces on which food is stored, processed or eaten. Prevent contamination of food, feedstuffs, drinking water, eating utensils and food preparation equipment. Remove or cover aquaria, plants, food and drinking water. Remove pets during application. Rinse empty container three times with a volume of water equal to a minimum of 10% of that of the container. Add the rinsings to the contents of the spray tank before destroying the container. Destroy empty container after use and do not re-use for any other purpose.

### DIRECTIONS FOR USE: USE ONLY AS DIRECTED

**Application:** Deltanex 15 EC should be diluted only with water and applied with any spray applicator suitable for producing a coarse droplet spray.

PEST	DOSAGE	DIRECTIONS FOR USE
Ants, bedbugs and German cockroaches	50 ml / 5 litres water	Apply as a direct contact spray. The spray should be directed at the insect harbours and where insect activity is noted.
Drench treatment for ant mounds	5 – 10 ml / 5 litre water	Apply 5 litres in an area of 1 metre x 1 metre in and around each nest.
Fleas	100 ml / 5 litres water per 100 m <sup>2</sup>	Apply as a coarse spray at the recommended rate to carpets, skirting's, walls, cupboards, as well as all areas frequented by pets. <b>DO NOT ENTER / WALK ON THE TREATED CARPET / AREA UNTIL DRY.</b> For more effective results vacuum carpets prior to treatment. Do not vacuum for 4 days after treatment. Regular treatment of pets using proprietary products for flea control is recommended to limit re-infestation.



HARMFUL  
SKADELIK

