

AMVAC
TECHNICAL
INFORMATION
BULLETIN

NUVAN PROSTRIP⁺
EPA Reg. No. 5481-554

**For Control of Bedbugs and
Bedbug Eggs**

SUPPLEMENTAL USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

THIS LABEL MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF
APPLICATION.

Please read the complete label for NUVAN PROSTRIP⁺ before applying. All applicable directions, restrictions and precautions on the EPA-registered label are to be followed. Use of NUVAN PROSTRIP⁺ according to this supplemental labeling is subject to the use precautions and limitations imposed by the label on the container.

IMPORTANT: Read the entire Directions for Use and the Limited Warranty and Disclaimer on the EPA-registered label for NUVAN PROSTRIP⁺ before using this product.

For Control of Bedbugs and Bedbug Eggs

NUVAN PROSTRIP⁺ may be used to control crawling bedbug nymphs and adults exposed to product vapors for 48 hours. In difficult to treat areas, a minimum treatment time of 72 hours will provide better results. NUVAN PROSTRIP⁺ may be used to control bedbugs that are harboring in various items in an infested structure including, but not limited to: electronics, appliances, footwear, art work, collectibles, plush toys, clocks, radios, wall hangings, telephones, computers, printers, mattresses, box springs, books, lamps, furniture and other such items. Place infested items in a container or room that is closed in a manner to contain the NUVAN PROSTRIP⁺ vapors during treatment. The sealed volume for treatment should not exceed the volume to be treated for the size of the NUVAN PROSTRIP⁺ used. Multiple strips can be used in a large space and should be distributed uniformly over the space being treated. Take care to avoid direct contact of the NUVAN PROSTRIP⁺ with the surface of items being treated. Seal items in the treatment for a minimum of 48 hours to kill bedbug nymphs and adults. To kill any bedbug eggs, seal items in the treatment space for seven days if bedbug eggs are suspected to be present. The presence of air space or volume within the sealed treatment space is desirable to enhance the exposure to the product vapors. Identify sealed treatment areas by label indicating a pesticide treatment is in process that should not be disturbed by unauthorized persons and the label should include the date, pest professional person or company responsible and contact telephone number. When treatment is completed, remove treated items from the treatment in a well ventilated area and air out for a period of not less than two hours.

Registrant:
AMVAC Chemical Corporation
4100 East Washington Boulevard
Los Angeles, CA 90023