



RACUMIN 0.0375PA

Version 5 / EU
1020000074521
Revision Date: 10.09.2013
Print Date: 08.07.2014

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name RACUMIN 0.0375PA
Product code (UVP) 05141435

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Rodenticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer CropScience AG
Alfred-Nobel-Straße 50
40789 Monheim am Rhein
Germany

Telefax +49(0)2173-38-7394

Responsible Department Product Safety and Specification Management
+49(0)2173-38-3409/3685 (during business hours only)
Email: BCS-SDS@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. Global Incident Response Hotline
+1 (760) 476-3964 (Company 3E for Bayer CropScience)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 4
H302 Harmful if swallowed.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Xn Harmful, R22

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Coumatetralyl



Signal word: Warning

Hazard statements

H302 Harmful if swallowed.

**RACUMIN 0.0375PA**Version 5 / EU
102000007452Revision Date: 10.09.2013
Print Date: 08.07.2014

2

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

Because of antivitamin K properties of the active ingredient, absorption can inhibit blood coagulation and cause haemorrhagic syndrome.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Bait (ready for use) (RB)
Coumatetralyl 0.375g/kg

Hazardous components

R-phrase(s) according to EC directive 67/548/EEC
Hazard statements according to Regulation (EC) No. 1907/2006

Name	CAS-No. / EC-No.	Classification		Conc. [%]
		EC Directive 67/548/EEC	Regulation (EC) No 1272/2008	
Coumatetralyl	5836-29-3 227-424-0	T+; R27/28 T; R48/24/25 R52/53	Acute Tox. 1, H330 Acute Tox. 2, H300 Acute Tox. 2, H310 STOT RE 1, H372 Aquatic Chronic 3, H412	0,0375

Further information

For the full text of the R-phrases/ Hazard statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures****General advice**

The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Move out of dangerous area. When symptoms develop and persist, seek medical advice.

Skin contact

Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion

Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

**RACUMIN 0.0375PA**Version 5 / EU
1020000074523
Revision Date: 10.09.2013
Print Date: 08.07.2014**4.2 Most important symptoms and effects, both acute and delayed****Symptoms**

If large amounts are ingested, the following symptoms may occur:

State of shock, Nose bleeding, Bloody vomiting, Abdominal pain, Back pain

Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).

4.3 Indication of any immediate medical attention and special treatment needed**Treatment**

Treat symptomatically. Antidote: Vitamine K1. Cases of severe poisoning may require the usual measures like application of blood products or transfusions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media****Suitable**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable

High volume water jet

5.2 Special hazards arising from the substance or mixture

Dangerous gases are evolved in the event of a fire.

5.3 Advice for firefighters**Special protective equipment for fire-fighters**

In the event of fire, wear self-contained breathing apparatus. In the event of fire and/or explosion do not breathe fumes.

Further information

Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures****Precautions**

Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water.

6.3 Methods and materials for containment and cleaning up**Methods for cleaning up**

Use mechanical handling equipment. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

6.4 Reference to other sectionsInformation regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

**RACUMIN 0.0375PA**Version 5 / EU
1020000074524
Revision Date: 10.09.2013
Print Date: 08.07.2014**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. For personal protection see section 8.

Advice on protection against fire and explosion No special precautions required.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

7.3 Specific end uses Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Coumatetralyl	5836-29-3	0,01 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated circumstances of exposure.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Wear standard coveralls and Category 3 Type 5 suit.

**RACUMIN 0.0375PA**Version 5 / EU
102000007452

5

Revision Date: 10.09.2013
Print Date: 08.07.2014

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Form	paste
Colour	blue
Odour	weak, characteristic
Melting point/range	> 200 °C
Flammability (solid, gas)	The product is not highly flammable.
Ignition temperature	425 °C
Autoignition temperature	ca. 207 °C
Density	ca. 1,19 g/cm ³ at 20 °C
Water solubility	Not dispersible
Partition coefficient: n-octanol/water	Coumatetralyl: log Pow: 1,5
Impact Sensitivity	Not impact sensitive.
Combustion number	CN3 Local combustion without spreading at 20 °C
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Thermal decomposition from 110 °C

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

**RACUMIN 0.0375PA**Version 5 / EU
1020000074526
Revision Date: 10.09.2013
Print Date: 08.07.2014**11.1 Information on toxicological effects**

Acute oral toxicity	LD50 (rat) 1.000 mg/kg
Acute inhalation toxicity	During intended and foreseen applications, no respirable aerosol is formed.
Acute dermal toxicity	LD50 (rat) > 4.000 mg/kg
Skin irritation	No skin irritation (rabbit)
Eye irritation	No eye irritation (rabbit)
Sensitisation	Non-sensitizing. (mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment repeated dose toxicity

Coumatetralyl caused inhibition of blood coagulation possibly causing hemorrhagic syndrome in animal studies. The toxic effects of Coumatetralyl are related to antivitamin K properties.

Assessment Mutagenicity

Coumatetralyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Coumatetralyl is not considered carcinogenic.

Assessment toxicity to reproduction

Coumatetralyl is not considered a reproductive toxicant at non-maternally toxic dose levels.

Assessment developmental toxicity

Coumatetralyl did not cause developmental toxicity in rats and rabbits.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) 53 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient.
Toxicity to aquatic invertebrates	EC50 (Water flea (<i>Daphnia magna</i>)) > 14 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient.
Toxicity to aquatic plants	IC50 (<i>Desmodesmus subspicatus</i>) > 18 mg/l Growth rate; Exposure time: 96 h The value mentioned relates to the active ingredient.

12.2 Persistence and degradability

Biodegradability	Coumatetralyl: Not applicable for this mixture.
-------------------------	--

Koc	Coumatetralyl: Koc: 453
------------	-------------------------

12.3 Bioaccumulative potential

Bioaccumulation	Coumatetralyl: Bioconcentration factor (BCF) 3 - 11 Does not bioaccumulate.
------------------------	--

12.4 Mobility in soil

**RACUMIN 0.0375PA**Version 5 / EU
102000007452

7

Revision Date: 10.09.2013
Print Date: 08.07.2014**Mobility in soil** Coumatetralyl: Moderately mobile in soils**12.5 Results of PBT and vPvB assessment****PBT and vPvB assessment** Coumatetralyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).**12.6 Other adverse effects****Additional ecological information** No other effects to be mentioned.**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods****Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.**Contaminated packaging** Not completely emptied packagings should be disposed of as hazardous waste.**Waste key for the unused product** 200119 pesticides**SECTION 14: TRANSPORT INFORMATION**

According to ADN/ADR/RID/IMDG/IATA not classified as dangerous goods.

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

14.1 – 14.5 Not applicable.

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Further information**

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: OTHER INFORMATION**Text of R-phrases mentioned in Section 3**

R27/28 Very toxic in contact with skin and if swallowed.

R48/24/25 Toxic: danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.



RACUMIN 0.0375PA

Version 5 / EU
102000007452

8
Revision Date: 10.09.2013
Print Date: 08.07.2014

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Text of the hazard statements mentioned in Section 3

H300 Fatal if swallowed.
H310 Fatal in contact with skin.
H330 Fatal if inhaled.
H372 Causes damage to organs (blood) through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 453/2010 amending Regulation (EU) No 1907/2006 (and any subsequent amendments). This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 453/2010.

|| Section 2: Hazards Identification. Section 12. Ecological information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Rentokil.com